

## 1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

#### 1.1 PRODUCT IDENTIFIER

Product name: Yellow Wide Format Inkjet Cartridge for Mimaki JV3 (SPC-0380Y)

Part number: MIMSPC0411YWF

#### 1.2 IDENTIFIED USES AND USES ADVISED AGAINST

For use in: Inkjet Printers

1.3 **SUPPLIER DETAILS** 

Supplier: Clover Imaging Group

4200 Columbus Street Ottawa, IL 61350 United States

Phone number: 815-431-8100

Fax: 815-461-8583

Contact Hours: 08:00AM-05:00PM CST

## 1.4 EMERGENCY TELEPHONE NUMBERS

Supplier: 815-431-8100

#### 2. HAZARDS IDENTIFICATION

#### 2.1 INFORMATION and CLASSIFICATION

Overview: GHS classification of the mixture: Combustible liquid: H227. Acute Tox.4: H312 Harmful in contact with

skin. Acute Tox.4: H332 Harmful if inhaled. Skin Irrit.2: H315 Causes skin irritation. Eye Irritant: H318. Hazard Statements: H312:Harmful in contact with skin. H315: Causes skin irritation. H322: Harmful if inhaled. H302: Harmful if swallowed. H318: Eye Irritant. H336: May cause drowsiness or dizziness. Precautionary Statements: PREVENTION: P270: Do not eat, drink or smoke when using this product. P264: Wash hands thoroughly after handling. P280: Wear protective gloves. P261: Avoid breathing

dust/fume/gas/mist/vapors/spray. P273: Avoid release to the environment. RESPONSE:

P301+P312+P330: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse

mouth. P332+P313+P333: If SKIN IRRITATION OCCURS: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P403 +P233 Store in a well-ventilated place. Keep container tightly closed. P363: Wash

contaminated clothing before reuse. DISPOSAL: P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.2 **LABEL ELEMENTS**

Applicable Pictograms:



Danger Indications: 2-Ethoxy Ethyl Ether: GHS (Rev 5): Skin Irrit.2 H315. Lactone: GHS (Rev 5): Eye Irritant H302, H318,

H336

Risk Phrases: N/A

Safety Phrases: Signal word: Danger

2.3 OTHER HAZARDS

PBT or vPvB: This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

Product: Yellow Wide Format Inkjet Cartridge for Mimaki JV3 (SPC-0380Y) Revision date: 06/02/2020 Page: 1/9

<sup>\*</sup> This document provides safety-related information about ink/toner, in various forms, for use in copiers/printers etc.



## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS number	Weight %	OSHA PEL	ACGIH TLV	Other
Colorant	Trade Secret	1-20			
2-Ethyoxy Ethyl Ether	112-36-7	10-60			EICNECS: 203-936-7 GHS (Rev 5): Skin Irrit.2; H315
Glycol Ether Acetate	Trade Secret	1-10			
Polymer	Trade Secret	1-10			
Lactone	96-48-0	1-20			EINECS # 202-509-5 GHS (Rev 5):
					Eye Irritant H302, H318, H336

The Full Text for all R-Phrases are Displayed in Section 16

#### **COMPOSITION COMMENTS**

The Data Shown is in accordance with the latest Directives.

This section provides composition information for the specified substance/mixture.

# 4. FIRST-AID MEASURES

#### 4.1 FIRST AID MEASURES

#### 4.1.1 FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

Inhalation: If inhaled move to fresh air. Respiratory irritation may occur, if persists seek medical attention. If

not breathing, give artificial respiration preferably mouth to mouth.

Eye contact: Do not rub eyes. In case of contact, immediately flush eyes with plenty of water for at least 15

minutes. If irritation persists get medical attention.

Skin contact: In case of contact, immediately flush skin with soap and plenty of water while removing

contaminated clothes and shoes. Wash clothing before reuse. Get medical attention if symptoms

appear.

Ingestion: Rinse mouth with water. Give two glasses of water and monitor closely. Call a poison control

center, emergency room, or physician before trying to induce vomiting. Never give anything by

mouth to an unconscious person. Get medical attention if symptoms appear.

#### 4.1.2 ADDITIONAL FIRST AID INFORMATION

Additional first aid information: N/A

Immediate Medical Attention Required: Treat symptomatically.

## 4.2 **SYMPTOMS AND EFFECTS**

Acute Symptoms from Exposure: No known significant effects or critical hazards.

Delayed Symptoms from Exposure: N/A

## 4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

Treat symptomatically.

Product: Yellow Wide Format Inkjet Revision date: 06/02/2020 Page: 2/9 Cartridge for Mimaki JV3 (SPC-0380Y)



## 5. FIRE-FIGHTING MEASURES

## 5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media: Alcohol-resistant foam, dry chemical, carbon dioxide(CO2), water spray.

Extinguishing Media Not to be Used: N/A

5.2 **SPECIAL HAZARD** 

Unusual Fire/Explosion Hazards: N/A Extinguishing Media Not to be Used: N/A

## 5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective clothing and wear self-contained breathing apparatus

## 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

#### 6.1.1 PRECAUTIONS FOR NON-EMERGENCY PERSONNEL

Use personal protective equipment. Gloves and eye/face protection.

#### 6.1.2 ADDITIONAL FIRST AID INFORMATION

N/A

#### 6.1.3 PERSONAL PROTECTION

Wear personal protective equipment as described in Section 8.

## 6.2 **ENVIRONMENTAL PRECAUTIONS**

Regulatory Information: Keep product out of sewers and watercourses.

## 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-

brushing and place in container for disposal according to local regulations. Keep in suitable,

closed containers for disposal.

Product: Yellow Wide Format Inkjet Cartridge for Mimaki JV3 (SPC-0380Y) Revision date: 06/02/2020 Page: 3/9



## 7. HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling: No special precautions when used as intended. Keep containers closed. If toner, avoid

creating dust. Keep away from ignition sources.

Advice on General Hygiene: Never eat, drink or smoke in work areas. Practice good personal hygiene after using this

material, especially before eating, drinking, smoking, using the restroom, or applying

cosmetics.

#### 7.2 **CONDITIONS FOR SAFE STORAGE**

Avoid high temperatures, >100°F/32°C

#### 7.3 **SPECIFIC END USES**

Printing devices

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 **CONTROL PARAMETERS**

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 3).

Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

## 8.2 **EXPOSURE CONTROLS**

#### Respiratory protection:

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

## **Eye/Face Protection:**

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

#### Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

#### **Additional Protection:**

N/A

#### **Protective Clothing and Equipment:**

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splashproof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

## **Safety Stations:**

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

## **Contaminated Equipment:**

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

## Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

Product: Yellow Wide Format Inkjet Cartridge for Mimaki JV3 (SPC-0380Y)

Revision date: 06/02/2020 Page: 4/9



## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 **DETAIL INFORMATION**

Physical state: APPEARANCE: Yellow liquid.

Color: Yellow
Odor: Slight
Odor threshold: N/A

Boiling point: Approx 176°C or higher
Melting point: No data available.
Flash point: Approx 81°C
Explosion limits: No data available.
Relative density: No data available.

Auto-ignition temperature: Not below 220°C

## 9.2 OTHER INFORMATION

SPECIFIC GRAVITY .975 (25°c)

## 10. CHEMICAL STABILITY AND REACTIVITY

10.1 Reactivity:

Reactivity Hazards: None

Data on Mixture Substances: None

10.2 **Chemical Stability:** The product is stable. Under normal conditions of storage and use, hazardous

polymerization will not occur.

10.3 **Hazardous Polymerization:** Stable under conditions of normal use.

10.4 **Conditions to Avoid:** Keep away from heat, flame, sparks and other ignition sources.

10.5 **Incompatible Materials:** Strong oxidizing materials

10.6 Hazardous Decomposition: Will not occur.

Product: Yellow Wide Format Inkjet Cartridge for Mimaki JV3 (SPC-0380Y) Revision date: 06/02/2020 Page: 5/9



## 11. INFORMATION ON TOXICOLOGICAL EFFECT

Mixtures: Water based inkjet ink (Mixture)

Acute Toxicity: [Diethylene Glycol Diethyl Ether] LD50 Oral, rat: 4,970 mg/kg. LD50 Skin, rabbit: 6,700 uL/kg.

Draize test, eye rabbit: 50 mg moderate.

**Skin Corrosion/Irritation:** Repeated or prolonged contact may cause irritation.

**Serious Eye Damage:** May cause severe eye irritation.

**Inhalation:** Gamma Butrolactone: May cause drowsiness or dizziness.

Sensitization:
Mutagenicity:
Carcinogenicity:
Reproductive Toxicity:
No information available.
No information available.
No information available.

STOT - Single Exposure: N/A

STOT - Multiple Exposure: N/A Ingestion: Har

Harmful if swallowed. May cause gastrointestinal irritation.

Hazard Class Information: N/A
Mixture on Market Data: N/A
Symptoms: N/A
Delayed/Immediate Effects: N/A
Test Data on Mixture: N/A
Not Meeting Classification: N/A

**Routes of Exposure:** Skin absorption, breathing, ingestion, eye contact.

Interactive Effects: N/A
Absence of Specific Data: N/A
Mixture vs Substance Data: N/A

## 12. ECOLOGICAL INFORMATION

12.1 **Eco toxicity:** Acquatic toxicity: No further information available

12.2 **Degradability:** No further relevant information available.

12.3 **Bioaccumulation Potential:** No further relevant information available.

12.4 **Mobility in Soil:** No further relevant information available.

12.5 **PBT & vPvB Assessment:** PBT: Not applicable. vPvB: Not applicable.

12.6 **Other Adverse Effects:** No further relevant information available.

## 13. DISPOSAL CONSIDERATIONS

## **Disposal Information:**

Dispose of product in accordance with local authority regulations.

Empty container retains product residue.

#### **Physical/Chemical Properties that affect Treatment:**

Symbol: This product is not classified as dangerous

Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

## **Waste Treatment Information:**

If toner, do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

## **Personal Protection Required:**

N/A

Product: Yellow Wide Format Inkjet Revision date: 06/02/2020 Page: 6/9 Cartridge for Mimaki JV3 (SPC-0380Y)



## 14. TRANSPORT INFORMATION

14.1 **ID Number:** N/A

14.2 Shipping Name: N/A

14.3 Hazard Class: N/A

14.4 Packing Group: N/A

14.5 Environmental Hazards: N/A

14.6 **User Precautions:** Transport and storage of the product in accordance with general precautions and instructions

mentioned in this SDS.

14.7 Bulk Transport: N/A

## 15. REGULATORY INFORMATION

15.1 Regulatory Information:

:EU Regulation (EC) No. 1272/2008 (CLP Regulations): REACH Status: In compliance.: Preregistration Status: All components are listed or exempted.: Annex XIV – List of substances subject to authorization: Substances of very high concern: None of the components are listed.: Annex XVII – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: Not applicable: EU Regulation (EC) No. 1272/2008 (CLP Regulations): REACH Status: In compliance.: Pre-registration Status: All components are listed or exempted.: Annex XIV – List of substances subject to authorization: Substances of very high concern: None of the components are listed.: Annex XVII – Restrictions on the manufacture, placing on the market and use of certain dangerous

substances, mixtures and articles: Not applicable

**EPA Regulatory Information:** N/A

**CERCLA Reportable Quantity: N/A** 

15.2 Superfund Information:

**Hazard Categories:** 

Immediate: N/A

Delayed: N/A

Fire: NFPA Rating: Health = 2 Fire = 2 Reactivity = 0

Pressure: N/A
Reactivity: N/A

Section 302 - Extremely Hazardous: N/A

Section 311 - Hazardous: N/A

15.3 State Regulations: CALIFORNIA PROPOSITION 65 INFORMATION: Not regulated

15.4 Other Regulatory Information:

:US Regulation: TSCA Section 4(a) Final Test Rules Regulated: Not regulated: TSCA Section 5 Significant New Use Rule - Regulation Proposed: Diethylene glycol diethyl ether (CAS No. 112-36-7): TSCA Section 8(a) Preliminary Assessment Information RULE (PAIR): Not Regulated: TSCA Section 8(a) Inventory Update Rule: All components on TSCA INVENTORY: TSCA Section 8(d) Health and Safety Study Reporting: Not regulated: TSCA Section 12(b) One-Time Export Notification Regulated: Diethylene glycol diethyl ether (CAS No. 112-36-7): Clean Air Act Section 112, Hazardous Air Pollutants (HAPs):

Diethylene glycol diethyl ether (CAS No. 112-36-7)

Product: Yellow Wide Format Inkjet Cartridge for Mimaki JV3 (SPC-0380Y) Revision date: 06/02/2020 Page: 7/9



# 16. OTHER INFORMATION

**General Comments:** This information is based on our current knowledge. It should not therefore be construed as

Revision date: 06/02/2020

guaranteeing specific properties of the products as described or their suitability for a particular

application

**Creation Date of this SDS:** 01/04/2021

Product: Yellow Wide Format Inkjet Cartridge for Mimaki JV3 (SPC-0380Y) Page: 8/9



## Key to Abbreviations and Acronyms used in this sheet:

ACGIH = American Conference of Governmental Industrial	NIOSH = National Institute for Occupational Safety and Health
Hygienists	
CERCLA = Comprehensive Environmental Response Compensation	OSHA = Occupational Health and Safety Administration
and Liability Act	
CLP = Classification, Labeling, and Packaging	PEL = Permissible Exposure Limit
DSD = Dangerous Substances Directive	SCBA = Self Contained Breathing Apparatus
EPA = Environmental Protection Agency	STOT = Specific Target Organ Toxicity
GHS = Globally Harmonized System	TLV = Threshold Limit Value
N/A = Not Applicable	UK = United Kingdom
NFPA = National Fire Protection Association	UN = United Nations

	_4	С.
к	e	Г:

## DISCLAIMER

These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the

All trademarks and models referenced are property of their respective holders and are used for identification purposes only.

warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Product: Yellow Wide Format Inkjet Cartridge for Mimaki JV3 (SPC-0380Y) Revision date: 06/02/2020 Page: 9/9