

#### 1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

#### 1.1 **PRODUCT IDENTIFIER**

Product name:Extra High Yield Magenta Toner Cartridge for Lexmark X792Part number:LEXX792M

#### 1.2 **IDENTIFIED USES AND USES ADVISED AGAINST**

For use in: Laser Printers

#### 1.3 SUPPLIER DETAILS

| Supplier:      | Clover Imaging Group       |
|----------------|----------------------------|
|                | 4200 Columbus Street       |
|                | Ottawa, IL 61350           |
|                | United States              |
|                | Phone number: 815-431-8100 |
|                | Fax: 815-461-8583          |
| Contact Hours: | 08:00AM-05:00PM CST        |
|                |                            |

#### 1.4 **EMERGENCY TELEPHONE NUMBERS**

Supplier: 815-431-8100

\* This document provides safety-related information about ink/toner, in various forms, for use in copiers/printers etc.

#### 2. HAZARDS IDENTIFICATION

#### 2.1 INFORMATION and CLASSIFICATION

#### Overview:

OSHA Hazard Classification: This product is an article which contains a mixture/preparation in powder form. Safety information is givien for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture/preparation based on the packaging and method of dispensing. While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200) this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and others users of this product. HAZARD STATEMENTS: May cause combustible dust concentrations in air. PRECAUTIONARY STATEMENTS: Prevent dust cloud. Sweep up or vacuum with electrically protected vacuum cleaner and collect in suitable container for disposal. Use non-sparking tools and equipment. Keep away from sources of ignition - No smoking.

#### 2.2 LABEL ELEMENTS

| Applicable Pictograms: | NO<br>PICTOGRAM                                    |
|------------------------|--|
| Danger Indications:    | No hazard expected under normal conditions of use. |
| Risk Phrases:          | N/A  |
| Safety Phrases:        | Signal word: Warning                               |

#### 2.3 OTHER HAZARDS

PBT or vPvB: N/A



#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Ingredients      | CAS number  | Weight % | OSHA<br>PEL | ACGIH<br>TLV | Other |
|------------------|-------------|----------|-------------|--------------|-------|
| Polymer          | 292629-36-8 | 80-90    |             |              |       |
| Polyethylene Wax | 9002-88-4   | 5-15     |             |              |       |
| Pigment          | PROPRIETARY | 5-10     |             |              |       |

The Full Text for all R-Phrases are Displayed in Section 16

#### **COMPOSITION COMMENTS**

The Data Shown is in accordance with the latest Directives. This section provides composition information for the specified substance/mixture.

#### 4. FIRST-AID MEASURES

#### 4.1 FIRST AID MEASURES

#### 4.1.1 FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

| Inhalation:   | Move to fresh air.   |
|---------------|--|
| Eye contact:  | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. |
| Skin contact: | Wash skin with soap and water.   |
| Ingestion:    | Rinse mouth with water and afterwards drink plenty of water or milk.   |

#### 4.1.2 ADDITIONAL FIRST AID INFORMATION

| Additional first aid information:     | N/A                    |
|---------------------------------------|------------------------|
| Immediate Medical Attention Required: | Treat symptomatically. |

#### 4.2 SYMPTOMS AND EFFECTS

Acute Symptoms from Exposure:No known effect.Delayed Symptoms from Exposure:No known effect.

#### 4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

Protection to first-aiders: No special equipment required. Notes to physician: Treat symptomatically.



#### 5. FIRE-FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA

| Recommended Extinguishing Media:    | Use water spray or fog; do not use straight streams, Foam          |
|-------------------------------------|--|
| Extinguishing Media Not to be Used: | Do not use a solid water stream as it may scatter and spread fire. |

#### 5.2 SPECIAL HAZARD

Unusual Fire/Explosion Hazards:

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx). N/A

Extinguishing Media Not to be Used:

#### 5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective clothing and wear self-contained breathing apparatus

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 **PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

#### 6.1.1 **PRECAUTIONS FOR NON-EMERGENCY PERSONNEL**

Avoid breathing dust.

#### 6.1.2 ADDITIONAL FIRST AID INFORMATION

N/A

#### 6.1.3 PERSONAL PROTECTION

Wear personal protective equipment as described in Section 8.

#### 6.2 ENVIRONMENTAL PRECAUTIONS

Regulatory Information: Keep product out of sewers and watercourses.

#### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: Methods for containment: Prevent dust cloud. Methods for cleaning up: Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner making it difficult to remove.

#### 7. HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling:No special precautions when used as intended. Keep containers closed. If toner, avoid<br/>creating dust. Keep away from ignition sources.Advice on General Hygiene:Never eat, drink or smoke in work areas. Practice good personal hygiene after using this<br/>material, especially before eating, drinking, smoking, using the restroom, or applying<br/>cosmetics.

#### 7.2 CONDITIONS FOR SAFE STORAGE

Avoid high temperatures, >100°F/32°C

#### 7.3 SPECIFIC END USES

Printing devices

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 CONTROL PARAMETERS

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 3). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

#### 8.2 EXPOSURE CONTROLS

#### **Respiratory protection:**

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

#### **Eye/Face Protection:**

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

#### Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

#### Additional Protection:

N/A

#### **Protective Clothing and Equipment:**

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splashproof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

#### Safety Stations:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

#### **Contaminated Equipment:**

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

#### Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 **DETAIL INFORMATION**

| Physical state:            | APPEARANCE: Magenta powder.              |
|----------------------------|--|
| Color:                     | Magenta                                  |
| Odor:                      | Faint                                    |
| Odor threshold:            | N/A                                      |
|                            |  |
| Boiling point:             | Not applicable                           |
| Melting point:             | Not determined                           |
| Flash point:               | Not applicable                           |
| Explosion limits:          | See "Other Information" in this section. |
| Relative density:          | N/A                                      |
| Auto-ignition temperature: | Not applicable                           |
|                            |  |

#### 9.2 OTHER INFORMATION

Method: ASTM E 1226 Standard Test Method for Explosibility of Dust Clouds. Maximum rate of explosion pressure rise (KSt): 282 - 304 m\*bars/sec. Maximum explosion pressure (Pmax): 7.9 - 9.0 bar. Minimum ignition energy: <3 millijoules.

#### **10. CHEMICAL STABILITY AND REACTIVITY**

#### 10.1 Reactivity:

|      | Reactivity Hazards:<br>Data on Mixture Substances: | None<br>None  |
|------|--|---|
| 10.2 | Chemical Stability:                                | The product is stable. Under normal conditions of storage and use, hazardous polymerization will not occur. |
| 10.3 | Hazardous Polymerization:                          | Stable under conditions of normal use.  |
| 10.4 | Conditions to Avoid:                               | Keep away from heat, flame, sparks and other ignition sources.  |
| 10.5 | Incompatible Materials:                            | Strong oxidizing materials  |
| 10.6 | Hazardous Decomposition:                           | Will not occur.   |



#### **11. INFORMATION ON TOXICOLOGICAL EFFECT**

| Mixtures:<br>Acute Toxicity:<br>Skin Corrosion/Irritation:<br>Serious Eye Damage:<br>Inhalation:<br>Sensitization:<br>Mutagenicity:<br>Carcinogenicity:<br>Reproductive Toxicity:<br>STOT - Single Exposure:<br>STOT - Multiple Exposure:<br>Ingestion:<br>Hazard Class Information:<br>Mixture on Market Data:<br>Symptoms:<br>Delayed/Immediate Effects:<br>Test Data on Mixture:<br>Not Meeting Classification:<br>Routes of Exposure:<br>Interactive Effects:<br>Absence of Specific Data: | N/A<br>N/A<br>N/A<br>N/A |
|--|--------------------------|
| Interactive Effects:<br>Absence of Specific Data:<br>Mixture vs Substance Data:  | N/A                      |
|  |                          |

#### **12. ECOLOGICAL INFORMATION**

| Presents little to no hazard to the environment.             |
|--|
|  |
| N/A  |
| Insoluble in water.  |
| Bioaccumulation is unlikely.                                 |
| No information available.                                    |
| On data available, substance is not harmful to aquatic life. |
|  |

#### **Disposal Information:**

Dispose of product in accordance with local authority regulations. Empty container retains product residue.

#### **Physical/Chemical Properties that affect Treatment:**

Symbol: This product is not classified as dangerous

Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

#### Waste Treatment Information:

If toner, do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

#### Personal Protection Required:

N/A



#### **14. TRANSPORT INFORMATION**

| 14.1 I        | D Number:              | Not regulated. |
|---------------|------------------------|----------------|
| 14.2 <b>S</b> | Shipping Name:         | Not regulated. |
| 14.3 H        | Hazard Class:          | Not regulated. |
| 14.4 F        | Packing Group:         | Not regulated. |
| 14.5 <b>E</b> | Environmental Hazards: | N/A            |
| 14.6 <b>L</b> | User Precautions:      | N/A            |
| 14.7 <b>E</b> | Bulk Transport:        | N/A            |

### 15. REGULATORY INFORMATION

| 15.1 <b>Regulatory Information:</b> | OSHA Regulatory Status: This material is not considered hazardous by the OSHA Hazard<br>Communication Standard (29 CFR 1910.1200). Canada: This product has been classified in<br>accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the<br>SDS contains all the information required by the HPR.   |
|-------------------------------------|---|
| EPA Regulatory Information:         | Clean Water Act: This product is not regulated as a pollutant puruant to the Clean Water<br>Act (40 CFR 122.21 and 40 CFR 122.42). Clean Air Act, Section 112 Hazardous Air<br>Pollutants (HAPs) (see 40 CFR 61): This product is not regulated as a hazardous air<br>pollutant (HAPS) under section 112 of the Clean Air Act Amendments of 1990.   |
| CERCLA Reportable Quantity          | This material, as supplied, does not contain any substances regulated as hazardous<br>substances under the Comprehensive Environmental Response Compensation and Liability<br>Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA)<br>(40 CFR 355). There may be specific reporting requirements at the local, regional, or state<br>level pertaining to releases of this material. |

#### 15.2 Superfund Information:

#### **Hazard Categories:**

Immediate: N/A

Delayed: N/A

Fire: N/A

Pressure: N/A

Reactivity: N/A

#### Section 302 - Extremely Hazardous: N/A

Section 311 - Hazardous: N/A

15.3 State Regulations:

California Proposition 65: Not regulated

15.4 Other Regulatory Information: N/A



# 16. OTHER INFORMATION General Comments: This information is based on our current knowledge. It should not therefore be construed as

Creation Date of this SDS: 01/25/2021

This information is based on our current knowledge. It should not therefore be construed as guaranteeing specific properties of the products as described or their suitability for a particular application



#### Key to Abbreviations and Acronyms used in this sheet:

| ACGIH = American Conference of Governmental Industrial     | NIOSH = National Institute for Occupational Safety and Health |
|--|---|
| Hygienists   |   |
| CERCLA = Comprehensive Environmental Response Compensation | OSHA = Occupational Health and Safety Administration          |
| and Liability Act  |   |
| CLP = Classification, Labeling, and Packaging              | PEL = Permissible Exposure Limit                              |
| DSD = Dangerous Substances Directive                       | SCBA = Self Contained Breathing Apparatus                     |
| EPA = Environmental Protection Agency                      | STOT = Specific Target Organ Toxicity                         |
| GHS = Globally Harmonized System                           | TLV = Threshold Limit Value                                   |
| N/A = Not Applicable                                       | UK = United Kingdom   |
| NFPA = National Fire Protection Association                | UN = United Nations   |
|  |   |
|  |   |
|  |   |
|  |   |

Ref:

DISCLAIMER

All trademarks and models referenced are property of their respective holders and are used for identification purposes only.

These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.