

1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

1.1 PRODUCT IDENTIFIER

Product name: White Wide Format Inkjet Cartridge for Mimaki ES3 (SPC-0440W)

Part number: MIMSPC440WWF

1.2 IDENTIFIED USES AND USES ADVISED AGAINST

For use in: Inkjet Printers

1.3 **SUPPLIER DETAILS**

Supplier: Clover Imaging Group

4200 Columbus Street Ottawa, IL 61350 United States

Phone number: 815-431-8100

Fax: 815-461-8583

Contact Hours: 08:00AM-05:00PM CST

1.4 **EMERGENCY TELEPHONE NUMBERS**

Supplier: 815-431-8100

2. HAZARDS IDENTIFICATION

2.1 INFORMATION and CLASSIFICATION

Overview: Classification according to GHS: Combustible liquid: H227. Acute Tox.4: H312 Harmful in contact with

skin. Acute Tox.4: H332 Harmful if inhaled. Skin Irrit.2: H315 Causes skin irritation. Eye Irritant: H318. Hazard Statements: H312: Harmful in contact with skin. H315: Causes skin irritation. H322: Harmful if inhaled. H302: Harmful if swallowed. H318: Eye irritant. H336: May cause drowsiness or dizziness. Precautionary Statements: PREVENTION: P270: Do not eat, drink or smoke when using this product. P264: Wash hands thouroughly after handling. P280: Wear protective gloves. P261: Avoid breathing

dust/fume/gas/mist/vapors/spray. P273: Avoid release to the environment. RESPONSE:

P301+P312+P330: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse

mouth. P332+P313+P333: IF SKIN IRRITATION OCCURS: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P403+P233: Store in a well-ventilated place. Keep container tightly closes. P363: Wash contained clothing before use. DISPOSAL: P501: Dispose of contents container in accordance with

Page: 1/9

local/regional/national/international regulations.

2.2 **LABEL ELEMENTS**

Applicable Pictograms:



Danger Indications: N/A
Risk Phrases: N/A

Safety Phrases: Signal word: DANGER.

2.3 OTHER HAZARDS

PBT or vPvB: No information available.

Product: White Wide Format Inkjet Revision date: 08/24/2018
Cartridge for Mimaki ES3 (SPC-0440W)

^{*} This document provides safety-related information about ink/toner, in various forms, for use in copiers/printers etc.



3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS number	Weight %	OSHA PEL	ACGIH TLV	Other
Titanium dioxide	13463-67-7	1-20			EC # 263-675-5
2-Ethyoxy Ethyl Ether	112-36-7	10-60			EC # 203-963-5. Skin Irrit.2; H315.
Glycol Ether Acetate	Trade Secret	1-10			
Polymer	Trade Secret	1-10			
Lactone	96-48-0	1-20			EC #202-509-5. Eye Irritant H302,
					H318, H336.

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

The Data Shown is in accordance with the latest Directives.

This section provides composition information for the specified substance/mixture.

4. FIRST-AID MEASURES

4.1 FIRST AID MEASURES

4.1.1

FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

Inhalation: If inhaled move to fresh air. Respiratory irritation may occur, if symptoms develop seek medical

attention. If not breathing, give artificial respiration preferably mouth to mouth.

Eye contact: Do not rub eyes. In case of contact, immediately flush eyes with plenty of water for at least 15

minutes. If irritation persists get medical attention.

Skin contact: In case of contact, immediately flush skin with plenty of water while removing contaminated

clothes and shoes. Wash clothing before reuse. Get medical attention if symptoms appear.

Ingestion: Give two glasses of water and monitor closely. Call a poison control center, emergency room, or

physician before trying to induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if symptoms appear.

4.1.2 ADDITIONAL FIRST AID INFORMATION

Additional first aid information: N/A

Immediate Medical Attention Required: Treat symptomatically.

4.2 **SYMPTOMS AND EFFECTS**

Acute Symptoms from Exposure: N/A
Delayed Symptoms from Exposure: N/A

4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

Treat symptomatically.

Product: White Wide Format Inkjet Revision date: 08/24/2018 Page: 2/9 Cartridge for Mimaki ES3 (SPC-0440W)



5. FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media: Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water spray.

Extinguishing Media Not to be Used: N/A

5.2 **SPECIAL HAZARD**

Unusual Fire/Explosion Hazards: Special hazards: Carbon oxides.

Extinguishing Media Not to be Used: N/A

5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective clothing and wear self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

6.1.1 PRECAUTIONS FOR NON-EMERGENCY PERSONNEL

Use personal protective equipment. Gloves and eye/face protection.

6.1.2 ADDITIONAL FIRST AID INFORMATION

N/A

6.1.3 PERSONAL PROTECTION

Wear personal protective equipment as described in Section 8.

6.2 **ENVIRONMENTAL PRECAUTIONS**

Regulatory Information: Keep product out of sewers and watercourses.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-

brushing and place in container for disposal according to local regulations. Keep in suitable,

closed containers for disposal.

Product: White Wide Format Inkjet Cartridge for Mimaki ES3 (SPC-0440W) Revision date: 08/24/2018

Page: 3/9



7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling: No special precautions when used as intended. Keep containers closed. If toner, avoid

creating dust. Keep away from ignition sources.

Advice on General Hygiene: Never eat, drink or smoke in work areas. Practice good personal hygiene after using this

material, especially before eating, drinking, smoking, using the restroom, or applying

cosmetics.

7.2 **CONDITIONS FOR SAFE STORAGE**

Avoid high temperatures, >100°F/32°C

7.3 **SPECIFIC END USES**

Printing devices

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **CONTROL PARAMETERS**

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 3).

Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

8.2 **EXPOSURE CONTROLS**

Respiratory protection:

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

Eye/Face Protection:

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

Additional Protection:

N/A

Protective Clothing and Equipment:

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splash-proof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

Safety Stations:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Equipment:

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

Product: White Wide Format Inkjet Cartridge for Mimaki ES3 (SPC-0440W) Revision date: 08/24/2018 Page: 4/9



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 **DETAIL INFORMATION**

Physical state: APPEARANCE: White liquid.

Color: White

Odor: Slight odor.

Odor threshold: N/A

Boiling point: Approx 176°C or higher

Melting point:

Flash point:

Explosion limits:

Relative density:

Auto-ignition temperature:

Not determined.

Not determined.

9.2 OTHER INFORMATION

Specific Gravity: .975 +/- 0.05

10. CHEMICAL STABILITY AND REACTIVITY

10.1 Reactivity:

Reactivity Hazards: None

Data on Mixture Substances: None

10.2 **Chemical Stability:** The product is stable. Under normal conditions of storage and use, hazardous

polymerization will not occur.

10.3 **Hazardous Polymerization:** Stable under conditions of normal use.

10.4 **Conditions to Avoid:** Keep away from heat, flame, sparks and other ignition sources.

10.5 **Incompatible Materials:** Strong oxidizing materials

10.6 Hazardous Decomposition: Will not occur.

Product: White Wide Format Inkjet Cartridge for Mimaki ES3 (SPC-0440W) Revision date: 08/24/2018 Page: 5/9



11. INFORMATION ON TOXICOLOGICAL EFFECT

Mixtures: Water based inkjet ink (Mixture)

Acute Toxicity: Diethylene Glycol Diethyl Ether: LD50 Oral, rat: 4,970 mg/kg. LD50 Skin, rabbit: 6,700 ul/kg. Draize

test, eye rabbit: 50mg moderate.

Skin Corrosion/Irritation: Overexposure of ink contact with the skin may cause irritation and, in some people, swelling and

redness.

Serious Eye Damage: Overexposure to the eye surface may be mildly irritating.

Inhalation: Intentional inhalation to ink vapors may result in respiratory tract irritation. Gamma

Butryrolactone: May cause drowsiness or dizziness.

Sensitization:No information available.Mutagenicity:No information available.Carcinogenicity:No information available.

Reproductive Toxicity: N/A

STOT - Single Exposure: No data available.

STOT - Multiple Exposure: N/A

Ingestion: Intentional or accidental oral ingestion may cause an upset stomach.

Hazard Class Information: N/A
Mixture on Market Data: N/A
Symptoms: N/A
Delayed/Immediate Effects: N/A
Test Data on Mixture: N/A
Not Meeting Classification: N/A

Routes of Exposure: Skin absorption, breathing, ingestion, eye contact.

Interactive Effects: N/A
Absence of Specific Data: N/A
Mixture vs Substance Data: N/A

12. ECOLOGICAL INFORMATION

12.1 **Eco toxicity:** Acquatic toxicity: No further information available

12.2 **Degradability:** No further relevant information available.

12.3 Bioaccumulation Potential: No further relevant information available.

12.4 **Mobility in Soil:** No further relevant information available.

12.5 **PBT & vPvB Assessment:** Not applicable.

12.6 Other Adverse Effects: No data available.

Product: White Wide Format Inkjet Cartridge for Mimaki ES3 (SPC-0440W) Revision date: 08/24/2018 Page: 6/9

CLOVER IMAGING GROUP

SAFETY DATA SHEET

13. DISPOSAL CONSIDERATIONS

Disposal Information:

Dispose of product in accordance with local authority regulations.

Empty container retains product residue.

Physical/Chemical Properties that affect Treatment:

Symbol: This product is not classified as dangerous

Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

Waste Treatment Information:

If toner, do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

Personal Protection Required:

N/A

14. TRANSPORT INFORMATION

14.1 **ID Number:** Not regulated by any transport mode.

14.2 Shipping Name: N/A

14.3 Hazard Class: N/A

14.4 Packing Group: N/A

14.5 Environmental Hazards: N/A

14.6 User Precautions: N/A

14.7 Bulk Transport: N/A

15. REGULATORY INFORMATION

15.1 **Regulatory Information:** TSCA: All substances are listed on the TSCA inventory. Product contains Diethylene glycol

Revision date: 08/24/2018

diethyl ether that is subject to TSCA Section 5 SNUR and to TSCA Section 12(b) export

Page: 7/9

notification requirements.

EPA Regulatory Information: N/A

CERCLA Reportable Quantity: N/A

15.2 Superfund Information:

Hazard Categories:

Immediate: N/A

Delayed: N/A

Fire: N/A

Pressure: N/A

Reactivity: N/A

Section 302 - Extremely Hazardous: N/A

Section 311 - Hazardous: N/A

15.3 State Regulations: CALIFORNIA PROPOSITION 65 INFORMATION: Not regulated.

15.4 Other Regulatory Information: N/A

Product: White Wide Format Inkjet Cartridge for Mimaki ES3 (SPC-0440W)



16. OTHER INFORMATION

General Comments: This information is based on our current knowledge. It should not therefore be construed as

Revision date: 08/24/2018

guaranteeing specific properties of the products as described or their suitability for a particular

application

Creation Date of this SDS: 12/31/2020

Product: White Wide Format Inkjet Cartridge for Mimaki ES3 (SPC-0440W) Page: 8/9



Key to Abbreviations and Acronyms used in this sheet:

ACGIH = American Conference of Governmental Industrial	NIOSH = National Institute for Occupational Safety and Health			
Hygienists				
CERCLA = Comprehensive Environmental Response Compensation	OSHA = Occupational Health and Safety Administration			
and Liability Act				
CLP = Classification, Labeling, and Packaging	PEL = Permissible Exposure Limit			
DSD = Dangerous Substances Directive	SCBA = Self Contained Breathing Apparatus			
EPA = Environmental Protection Agency	STOT = Specific Target Organ Toxicity			
GHS = Globally Harmonized System	TLV = Threshold Limit Value			
N/A = Not Applicable	UK = United Kingdom			
NFPA = National Fire Protection Association	UN = United Nations			

	_4	С.
к	e	Г:

DISCLAIMER

All trademarks and models referenced are property of their respective holders and are used for identification purposes only.

These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Product: White Wide Format Inkjet Cartridge for Mimaki ES3 (SPC-0440W) Revision date: 08/24/2018 Page: 9/9