

#### 1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

#### 1.1 PRODUCT IDENTIFIER

Product name: High Capacity Yellow Ink Cartridge for Epson T212XL420

Part number: EPS212XL420

#### 1.2 IDENTIFIED USES AND USES ADVISED AGAINST

For use in: Inkjet Printers

1.3 SUPPLIER DETAILS

Supplier: Clover Imaging Group

4200 Columbus Street Ottawa, IL 61350 United States

Phone number: 815-431-8100

Fax: 815-461-8583

Contact Hours: 08:00AM-05:00PM CST

#### 1.4 **EMERGENCY TELEPHONE NUMBERS**

Supplier: 815-431-8100

## 2. HAZARDS IDENTIFICATION

## 2.1 INFORMATION and CLASSIFICATION

Overview: Precautionary Statements: P101 - If medical advice is needed have container or label at hand. P102 -

Keep out of reach of children.

### 2.2 **LABEL ELEMENTS**

Applicable Pictograms:

NO PICTOGRAM

Danger Indications: N/A
Risk Phrases: N/A
Safety Phrases: N/A

## 2.3 OTHER HAZARDS

PBT or vPvB: N/A

Product: High Capacity Yellow Ink Revision date: 09/25/2019 Page: 1/9 Cartridge for Epson T212XL420

<sup>\*</sup> This document provides safety-related information about ink/toner, in various forms, for use in copiers/printers etc.



#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS number	Weight %	OSHA PEL	ACGIH TLV	Other
Yellow Dye	Trade Secret	0.1-3			
Glycerol	56-81-5	1-10			EC # 200-289-5
Diethylene Glycol	111-46-6	0.1-8			EC # 203-872-2. Acute Tox.4 H302.
Diethylene Glycol	112-34-5	0.1-8			EC # 203-961-6. Eye Irrit.2 H319.
Monobutyl Ether					
Water	7732-18-5	45-90			

The Full Text for all R-Phrases are Displayed in Section 16

#### **COMPOSITION COMMENTS**

The Data Shown is in accordance with the latest Directives.

This section provides composition information for the specified substance/mixture.

#### 4. FIRST-AID MEASURES

#### 4.1 FIRST AID MEASURES

4.1.1

# FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

Inhalation: Remove to fresh air. If respiration is difficult, administer artificial respiration and seek medical

advice.

Eye contact: Do not rub eyes. Immediately flush eyes with large amounts of clean, warm water (low pressure)

for at least 15 minutes. If the irritation persists, seek medical advice.

Skin contact: Immediately wash affected areas with mild soap and water. If the irritiation persists, seek medical

advice.

Ingestion: Ingestion is not an expected route of exposure during normal use of the product. If ingested, seek

medical attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to

an unconscious person.

#### 4.1.2 ADDITIONAL FIRST AID INFORMATION

Additional first aid information: N/A

Immediate Medical Attention Required: Follow doctor's orders.

## 4.2 **SYMPTOMS AND EFFECTS**

Acute Symptoms from Exposure: N/A
Delayed Symptoms from Exposure: N/A

### 4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

No information available.

Product: High Capacity Yellow Ink Revision date: 09/25/2019 Page: 2/9 Cartridge for Epson T212XL420



## 5. FIRE-FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media: Dry chemical, carbon dioxide, water spray or regular foam.

Extinguishing Media Not to be Used: Not known.

5.2 **SPECIAL HAZARD** 

Unusual Fire/Explosion Hazards: Product is a nonflammable water-based solution. Hazardous combustion products

(gases/vapors) produced in fire can include carbon monoxide, carbon dioxide, nitrogen

oxides, and smoke.

Extinguishing Media Not to be Used: N/A

#### 5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective clothing and wear self-contained breathing apparatus

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

#### 6.1.1 PRECAUTIONS FOR NON-EMERGENCY PERSONNEL

Use all necessary personal protective equipment.

#### 6.1.2 ADDITIONAL FIRST AID INFORMATION

N/A

### 6.1.3 PERSONAL PROTECTION

Wear personal protective equipment as described in Section 8.

## 6.2 **ENVIRONMENTAL PRECAUTIONS**

Regulatory Information: Keep product out of sewers and watercourses.

#### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: Transfer the leaked products to container. Absorb with inert absorbent such as dry sand or

diatomaceous earth, commercial absorbents, or recover using pumps. Flush a small amount

of residue with large amounts of water and detergent.

Product: High Capacity Yellow Ink Cartridge for Epson T212XL420 Revision date: 09/25/2019 Page: 3/9



#### 7. HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling: No special precautions when used as intended. Keep containers closed. If toner, avoid

creating dust. Keep away from ignition sources.

Advice on General Hygiene: Never eat, drink or smoke in work areas. Practice good personal hygiene after using this

material, especially before eating, drinking, smoking, using the restroom, or applying

cosmetics.

#### 7.2 **CONDITIONS FOR SAFE STORAGE**

Avoid high temperatures, >100°F/32°C

#### 7.3 **SPECIFIC END USES**

Printing devices

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 **CONTROL PARAMETERS**

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 3).

Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

### 8.2 **EXPOSURE CONTROLS**

#### Respiratory protection:

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

## **Eye/Face Protection:**

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

#### Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

#### **Additional Protection:**

N/A

#### **Protective Clothing and Equipment:**

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splash-proof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

### **Safety Stations:**

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

#### **Contaminated Equipment:**

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

#### Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

Product: High Capacity Yellow Ink Revision date: 09/25/2019 Page: 4/9 Cartridge for Epson T212XL420



#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 **DETAIL INFORMATION**

Physical state: APPEARANCE: Yellow liquid.

Color: Yellow Odor: Slight Odor threshold: N/A

Boiling point: No data available.

Melting point: No data available.

Flash point: >93.33°C (>200.0°F) Pensky-Martens Closed cup.

Explosion limits: No data available.

Relative density: No data available.

Auto-ignition temperature: Not determined

#### 9.2 OTHER INFORMATION

Specific Gravity: >1. pH: 7-9.

## 10. CHEMICAL STABILITY AND REACTIVITY

10.1 Reactivity:

Reactivity Hazards: None

Data on Mixture Substances: None

10.2 **Chemical Stability:** The product is stable. Under normal conditions of storage and use, hazardous

polymerization will not occur.

10.3 **Hazardous Polymerization:** Stable under conditions of normal use.

10.4 **Conditions to Avoid:** Keep away from heat, flame, sparks and other ignition sources.

10.5 **Incompatible Materials:** Strong oxidizing materials

10.6 Hazardous Decomposition: Will not occur.

Product: High Capacity Yellow Ink Cartridge for Epson T212XL420 Revision date: 09/25/2019 Page: 5/9



#### 11. INFORMATION ON TOXICOLOGICAL EFFECT

Mixtures:

Glycerol: LD50 (rat, oral): >31.5 g/kg(RTECS). Diethylene glycol: LD50 (rat, oral): >12565 **Acute Toxicity:** 

mg/kg(RTECS). Diethylene glycol monobutyl ether: LD50 (rat, oral): 6.56g/kg(RTECS).

Skin Corrosion/Irritation: No irritation.

**Serious Eye Damage:** No data available.

Inhalation: N/A Sensitization: N/A **Mutagenicity:** N/A Carcinogenicity: N/A Reproductive Toxicity: N/A STOT - Single Exposure: N/A **STOT - Multiple Exposure:** N/A Ingestion: N/A **Hazard Class Information:** N/A **Mixture on Market Data:** N/A Symptoms: N/A **Delayed/Immediate Effects:** N/A Test Data on Mixture: N/A Not Meeting Classification: N/A **Routes of Exposure:** N/A **Interactive Effects:** N/A **Absence of Specific Data:** N/A

#### 12. ECOLOGICAL INFORMATION

Mixture vs Substance Data: N/A

12.1 Eco toxicity: No information available for this product.

12.2 Degradability: No information available for this product.

12.3 Bioaccumulation Potential: No information available for this product.

12.4 Mobility in Soil: No information available for this product.

12.5 PBT & vPvB Assessment: N/A

12.6 Other Adverse Effects: N/A

### 13. DISPOSAL CONSIDERATIONS

#### **Disposal Information:**

Dispose of product in accordance with local authority regulations.

Empty container retains product residue.

#### **Physical/Chemical Properties that affect Treatment:**

Symbol: This product is not classified as dangerous

Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

### **Waste Treatment Information:**

If toner, do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

### **Personal Protection Required:**

N/A

Revision date: 09/25/2019 Product: High Capacity Yellow Ink Page: 6/9 Cartridge for Epson T212XL420



#### 14. TRANSPORT INFORMATION

14.1 **ID Number:** Not regulated by any transport mode.

14.2 Shipping Name: N/A

14.3 Hazard Class: N/A

14.4 Packing Group: N/A

14.5 Environmental Hazards: N/A

14.6 User Precautions: N/A

14.7 Bulk Transport: N/A

## 15. REGULATORY INFORMATION

15.1 Regulatory Information: N/A

EPA Regulatory Information: N/A

**CERCLA Reportable Quantity: N/A** 

15.2 Superfund Information:

**Hazard Categories:** 

Immediate: N/A

Delayed: N/A

Fire: N/A

Pressure: N/A

Reactivity: N/A

Section 302 - Extremely Hazardous: N/A

Section 311 - Hazardous: N/A

15.3 State Regulations: N/A

15.4 Other Regulatory Information: N/A

Product: High Capacity Yellow Ink Cartridge for Epson T212XL420 Revision date: 09/25/2019 Page: 7/9



## 16. OTHER INFORMATION

**General Comments:** 

This information is based on our current knowledge. It should not therefore be construed as guaranteeing specific properties of the products as described or their suitability for a particular

application

**Creation Date of this SDS:** 09/10/2020

Product: High Capacity Yellow Ink Cartridge for Epson T212XL420

Revision date: 09/25/2019 Page: 8/9



#### Key to Abbreviations and Acronyms used in this sheet:

ACGIH = American Conference of Governmental Industrial	NIOSH = National Institute for Occupational Safety and Health
Hygienists	
CERCLA = Comprehensive Environmental Response Compensation	OSHA = Occupational Health and Safety Administration
and Liability Act	
CLP = Classification, Labeling, and Packaging	PEL = Permissible Exposure Limit
DSD = Dangerous Substances Directive	SCBA = Self Contained Breathing Apparatus
EPA = Environmental Protection Agency	STOT = Specific Target Organ Toxicity
GHS = Globally Harmonized System	TLV = Threshold Limit Value
N/A = Not Applicable	UK = United Kingdom
NFPA = National Fire Protection Association	UN = United Nations

	_4	С.
к	e	Г:

## DISCLAIMER

All trademarks and models referenced are property of their respective holders and are used for identification purposes only.
These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers.
This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Product: High Capacity Yellow Ink Cartridge for Epson T212XL420 Revision date: 09/25/2019 Page: 9/9