

1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

1.1 PRODUCT IDENTIFIER

Product name: White Wide Format Ink Bag for Canon Océ 3010112529
Part number: OCE3010112529WF

1.2 IDENTIFIED USES AND USES ADVISED AGAINST

For use in: Inkjet Printers

1.3 SUPPLIER DETAILS

Supplier: Clover Imaging Group
4200 Columbus Street
Ottawa, IL 61350
United States
Phone number: 815-431-8100
Fax: 815-461-8583
Contact Hours: 08:00AM-05:00PM CST

1.4 EMERGENCY TELEPHONE NUMBERS

Supplier: 815-431-8100

* This document provides safety-related information about ink/toner, in various forms, for use in copiers/printers etc.

2. HAZARDS IDENTIFICATION

2.1 INFORMATION and CLASSIFICATION

Overview: Classifications: Classification according to GHS: GHS09 Environment: Aquatic Chronic 3 H411: Toxic to aquatic life with long lasting effects. GHS07: Skin Irrit.2 H315: Causes skin irritation. Skin Sens 1: H317: May cause an allergic reaction. Eye Irrit. 2A H319: Causes Serious eye irritation. STOT SE 3 H335: May cause respiratory irritation. GHS08 Health Hazard: Repr 2 H361: Suspected of damaging fertility or the unborn child. STOT Rep. Exp. 1 H372: Causes damage to organs through prolonged or repeated exposure. Hazard Statements: H315: Causes skin irritation. H317: May cause allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation. H361: Suspected of damaging fertility or the unborn child. H372: Causes damage to organs through prolonged or repeated exposure. H411: Toxic to aquatic life. Precautionary Statements: PREVENTION: P270: Do not eat, drink or smoke when using this product. P264: Wash hands thoroughly after handling. P280: Wear protective gloves. P261: Avoid breathing dust/fume/gas/mist/vapors/spray. P273: Avoid release to the environment. RESPONSE: P301+P312+P3301: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. P332+P313+P338: IF SKIN IRRITATION OCCURS: Get medical advice/attention. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes, remove contact lenses, if present and easy to do. Continue rinsing. P302+P352: IF ON SKIN: Wash with plenty of water. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P363: Wash contaminated clothing before reuse. DISPOSAL: P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

2.2 LABEL ELEMENTS

Applicable Pictograms:



Danger Indications: Aquatic Chronic 3 H411: Toxic to aquatic life with long lasting effects. GHS07: Skin Irrit.2 H315: Causes skin irritation. Skin Sens 1: H317: May cause an allergic reaction. Eye Irrit. 2A H319: Causes Serious eye irritation. STOT SE 3 H335: May cause respiratory irritation. GHS08 Health Hazard: Repr 2 H361: Suspected of damaging fertility or the unborn child. STOT Rep. Exp. 1 H372: Causes damage to organs through prolonged or repeated exposure.

Risk Phrases: Signal Word: Danger

Safety Phrases: N/A

2.3 OTHER HAZARDS

Product: White Wide Format Ink Bag for
Canon Océ 3010112529

Revision date: 03/19/2020

Page: 1/9

PBT or vPvB: Not applicable.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS number	Weight %	OSHA PEL	ACGIH TLV	Other
Colorant	Trade Secret	10-20			
2-Phenoxy-ethyl Acrylate	48145-04-6	<10			EC # 256-360-6 SkinSens1: H317, Aquatic Chronic 2: H411
Trimethylolpropane (E0)3 Triacrylate	28961-43-5	<10			EC # 500-066-5 EyeIrrit.2: H319, SkinSens.1: H317
N-Vinyl caprolactam	2235-00-9	10-20			EC # 218-767-6 EyeIrrit. 2:H319, SkinSens.1: H317, STOT Rep.Exp. 1:H372
Isobornyl Acrylate	5888-33-5	10-15			EC # 277-561-6 EyeIrrit. 2:H319, SkinSens.1: H317, STOT SE: H335, Aquatic Chronic 2: H411
2,4,6-trimethylbenzoyl-diphenyl phosphine oxide	75980-60-8	1-5			EC # 278-355-8 Skin Sens 1: H317, Repr. 2: H361, Aquatic Chronic 2: H411
Bis (2,4,6-trimethylbenzoyl)-phenyl phosphine oxide	162881-26-7	1-5			EC # 423-340-5 Skin Sens 1.: H317, Aquatic Chronic 2: H411
Tetrahydrofurfuryl acrylate	2399-48-6	10-20			EC # 219-268-7 SkinIrrit.2: H315, EyeIrrit.2: H319
Urethane Acrylate	Proprietary	1-5			SkinIrrit.2: H315, EyeIrrit.2: H319, STOT SE 3: H335
Polyester Acrylate	Proprietary	10-15			SkinIrrit.2: H315, EyeIrrit.2: H319

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

The Data Shown is in accordance with the latest Directives.

This section provides composition information for the specified substance/mixture.

4. FIRST-AID MEASURES

4.1 FIRST AID MEASURES

4.1.1 FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

Inhalation:	If inhaled move to fresh air. Respiratory irritation may occur, if symptoms develop seek medical attention. If not breathing, give artificial respiration preferably mouth to mouth.
Eye contact:	Do not rub eyes. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists get medical attention.
Skin contact:	In case of contact, immediately flush skin with plenty of water while removing contaminated clothes and shoes. Wash clothing before reuse. Get medical attention if symptoms appear.
Ingestion:	Give two glasses of water and monitor closely. Call a poison control center, emergency room, or physician before trying to induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear.

4.1.2 ADDITIONAL FIRST AID INFORMATION

Additional first aid information:	Treat symptomatically.
Immediate Medical Attention Required:	N/A

4.2 SYMPTOMS AND EFFECTS

Acute Symptoms from Exposure:	Eye Contact: Causes severe eye injury which may persist for many days. Inhalation: Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility and irritate nose, throat/respiratory system. Skin Contact: Contact with skin may cause irritation, swelling or redness, allergy and/or sensitization. Ingestion: May cause injury of mouth, throat, and stomach.
Delayed Symptoms from Exposure:	Eye Contact: Causes severe eye injury which may persist for many days. Inhalation: Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility and irritate nose, throat/respiratory system. Skin Contact: Contact

with skin may cause irritation, swelling or redness, allergy and/or sensitization.
Ingestion: May cause injury of mouth, throat, and stomach.

4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media: Alcohol-resistant foam, dry chemical, carbon dioxide (CO₂), water spray.
Extinguishing Media Not to be Used: N/A

5.2 SPECIAL HAZARD

Unusual Fire/Explosion Hazards: Special Hazards arising from the substance or mixture: Carbon oxides.
Extinguishing Media Not to be Used: N/A

5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective clothing and wear self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

6.1.1 PRECAUTIONS FOR NON-EMERGENCY PERSONNEL

Use all necessary personal protective equipment: Respiratory Protection: Avoid breathing vapor or mist. When established airborne limits are surpassed wear NIOSH/MSHA approved equipment. Determine the appropriate type of equipment for the specific application by consulting the respirator manufacturer. Observe limitations specified by NIOSH/MSHA or the manufacturer. High airborne concentrations may necessitate the use of self-contained breathing apparatus or a supplied air respirator. Respiratory protection programs must be in compliance with 29CFR 1910. 134. Skin Protection: Wear impervious gloves when handling this material. We recommend nitrile or neoprene or a combination of nitrile over latex. Skin barrier creams are beneficial. Gloves with long cuffs or separate protective arm covers are also recommended. Eye Protection: Wear a full face shield, chemical splash goggles or safety glasses with side shields when handling any chemical.

6.1.2 ADDITIONAL FIRST AID INFORMATION

N/A

6.1.3 PERSONAL PROTECTION

Wear personal protective equipment as described in Section 8.

6.2 ENVIRONMENTAL PRECAUTIONS

Regulatory Information: Keep product out of sewers and watercourses.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling:	No special precautions when used as intended. Keep containers closed. If toner, avoid creating dust. Keep away from ignition sources.
Advice on General Hygiene:	Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

7.2 CONDITIONS FOR SAFE STORAGE

Avoid high temperatures, >100°F/32°C

7.3 SPECIFIC END USES

Printing devices

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 3). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

8.2 EXPOSURE CONTROLS

Respiratory protection:

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

Eye/Face Protection:

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

Additional Protection:

N/A

Protective Clothing and Equipment:

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splash-proof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

Safety Stations:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Equipment:

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

9. PHYSICAL AND CHEMICAL PROPERTIES**9.1 DETAIL INFORMATION**

Physical state:	APPEARANCE: White liquid.
Color:	White
Odor:	Slight Odor
Odor threshold:	N/A

Boiling point:	N/A
Melting point:	N/A
Flash point:	N/A
Explosion limits:	N/A
Relative density:	N/A
Auto-ignition temperature:	N/A

9.2 OTHER INFORMATION

Solubility: Easily soluble.

10. CHEMICAL STABILITY AND REACTIVITY**10.1 Reactivity:**

Reactivity Hazards: None

Data on Mixture Substances: None

10.2 Chemical Stability: The product is stable. Under normal conditions of storage and use, hazardous polymerization will not occur.

10.3 Hazardous Polymerization: Stable under conditions of normal use.

10.4 Conditions to Avoid: Keep away from heat, flame, sparks and other ignition sources.

10.5 Incompatible Materials: Strong oxidizing materials

10.6 Hazardous Decomposition: Will not occur.

11. INFORMATION ON TOXICOLOGICAL EFFECT

Mixtures:	N/A
Acute Toxicity:	No information.
Skin Corrosion/Irritation:	Overexposure of ink contact with the skin may cause irritation and, in some people, swelling and redness.
Serious Eye Damage:	Overexposure of the eye surface to ink may be mildly irritating.
Inhalation:	Intentional inhalation to ink vapors may result in respiratory tract irritation.
Sensitization:	Not available.
Mutagenicity:	No information available.
Carcinogenicity:	No information available.
Reproductive Toxicity:	Not available.
STOT - Single Exposure:	No data available.
STOT - Multiple Exposure:	No data available.
Ingestion:	Intentional or accidental oral ingestion may cause an upset stomach.
Hazard Class Information:	N/A
Mixture on Market Data:	N/A
Symptoms:	N/A
Delayed/Immediate Effects:	N/A
Test Data on Mixture:	N/A
Not Meeting Classification:	N/A
Routes of Exposure:	Eye, skin, inhalation, and oral ingestion.
Interactive Effects:	N/A
Absence of Specific Data:	N/A
Mixture vs Substance Data:	N/A

12. ECOLOGICAL INFORMATION

12.1 Eco toxicity:	Aquatic toxicity: No further information available.
12.2 Degradability:	No further relevant information available.
12.3 Bioaccumulation Potential:	No further relevant information available.
12.4 Mobility in Soil:	No further relevant information available.
12.5 PBT & vPvB Assessment:	PBT: Not applicable. vPvP: Not applicable.
12.6 Other Adverse Effects:	No further relevant information available.

13. DISPOSAL CONSIDERATIONS**Disposal Information:**

Dispose of product in accordance with local authority regulations.
Empty container retains product residue.

Physical/Chemical Properties that affect Treatment:

Symbol: This product is not classified as dangerous
Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

Waste Treatment Information:

If toner, do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

Personal Protection Required:

N/A

14. TRANSPORT INFORMATION

14.1 ID Number:	UN Number: UN3082
14.2 Shipping Name:	Environmentally hazardous substance, liquid N.O.S. [Acrylic Monomers]
14.3 Hazard Class:	ADR,IMDG, IATA- Class 9
14.4 Packing Group:	ADR, IMDG, IATA-III
14.5 Environmental Hazards:	N/A
14.6 User Precautions:	Transport and storage of the product in accordance with general precautions and instructions mentioned in this SDS
14.7 Bulk Transport:	N/A

15. REGULATORY INFORMATION

15.1 **Regulatory Information:** OSHA: This product is classified as an OSHA hazardous material. CERCLA: SARA Hazard Category Section 313: Indicates toxic chemical(s) subject to the reporting requirements of the Section 313 of Title III and of 40 CFR 372.

EPA Regulatory Information: N/A

CERCLA Reportable Quantity: N/A

15.2 **Superfund Information:**

Hazard Categories:

Immediate: N/A

Delayed: N/A

Fire: NFPA Rating: Health = 2 Fire = 2 Reactivity = 0

Pressure: N/A

Reactivity: N/A

Section 302 - Extremely Hazardous: N/A

Section 311 - Hazardous: N/A

15.3 **State Regulations:** State of California Proposition 65: This product does not contain proposition 65 listed chemicals that would mandate consumer notification labeling.

15.4 **Other Regulatory Information:** N/A

16. OTHER INFORMATION

General Comments: This information is based on our current knowledge. It should not therefore be construed as guaranteeing specific properties of the products as described or their suitability for a particular application

Creation Date of this SDS: 01/07/2021

Key to Abbreviations and Acronyms used in this sheet:

ACGIH = American Conference of Governmental Industrial Hygienists	NIOSH = National Institute for Occupational Safety and Health
CERCLA = Comprehensive Environmental Response Compensation and Liability Act	OSHA = Occupational Health and Safety Administration
CLP = Classification, Labeling, and Packaging	PEL = Permissible Exposure Limit
DSD = Dangerous Substances Directive	SCBA = Self Contained Breathing Apparatus
EPA = Environmental Protection Agency	STOT = Specific Target Organ Toxicity
GHS = Globally Harmonized System	TLV = Threshold Limit Value
N/A = Not Applicable	UK = United Kingdom
NFPA = National Fire Protection Association	UN = United Nations

Ref:

DISCLAIMER

All trademarks and models referenced are property of their respective holders and are used for identification purposes only. These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.