

1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

1.1 **PRODUCT IDENTIFIER**

Product name: Light Cyan Wide Format Ink Bag for efi Vutek 45165647LC

Part number: EFI45165647LC

1.2 IDENTIFIED USES AND USES ADVISED AGAINST

For use in: Inkjet Printers

1.3 **SUPPLIER DETAILS**

Supplier: Clover Imaging Group

4200 Columbus Street Ottawa, IL 61350 United States

Phone number: 815-431-8100

Fax: 815-461-8583

Contact Hours: 08:00AM-05:00PM CST

1.4 **EMERGENCY TELEPHONE NUMBERS**

Supplier: 815-431-8100

2. HAZARDS IDENTIFICATION

2.1 INFORMATION and CLASSIFICATION

Overview: Classification according to GHS: GHS09: Environment: Aquatic Chronic 3 H412: Harmful to aquatic life

with long lasting effects. GHS07: Skin Irrit. 2 H315: Causes skin irritation. Eye Irrit. 2A H319: Causes serious eye irritation. STOT SE 3 H335: May cause respiratory irritation. GHS08 Health Hazard: Repr 2. H361: Suspected of damaging fertility or the unborn child. STOT Rep. Exp. 1 H372: Causes damage to

organs through prolonged or repeated exposure.

2.2 **LABEL ELEMENTS**

Applicable Pictograms:







Danger Indications: HAZARD STATEMENTS: H315 Causes skin irritation. H317: May cause an allergic skin reaction. H319:

Causes serious eye irritation. H335: May cause respiratory irritation. H361: Suspected of damaging fertility or the unborn child. H372: Causes damage to organs through prolonged or repeated exposure. H412: Harmful to aquatic life with long lasting effects. PRECAUTIONARY STATEMENTS: PREVENTION: P270: Do not eat, drink or smoke when using this product. P264: Wash hands thoroughly after handling. P280: Wear protective gloves. P261: Avoid breathing dust/fume/gas/mist/vapors/spray. P273: Avoid release to the environment. RESPONSE: P301+P312+P330: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. P332+P313+P333: If SKIN IRRITATION OCCURS: Get medical advice/attention. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P403+P233: Store in a well-ventilated place. Keep container closed. P363: Wash contaminated clothing before reuse. DISPOSAL: P501: Dispose of contents/container

in accordance with local/regional/national/international regulations.

Risk Phrases: N/A

Safety Phrases: Signal Word: Danger

2.3 OTHER HAZARDS

PBT or vPvB: Not applicable.

Product: Light Cyan Wide Format Ink Revision date: 03/12/2018 Page: 1/9
Bag for efi Vutek 45165647LC

^{*} This document provides safety-related information about ink/toner, in various forms, for use in copiers/printers etc.



3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS number	Weight %	OSHA PEL	ACGIH TLV	Other
Colorant	Trade Secret	1-5			
2-Phenoxy-ethyl Acrylate	484145-04-6	<10			EC No. 256-360-6 Skin Sens 1:
					H317; Aquatic Chronic 2: H411
Isobornyl Acrylate	5888-33-5	10-15			SkinIrrit.2: H315; EyeIrrit.2: H319;
					STOT SE 3: H335; Aquatic Chronic
					2: H411
1,6-Hexanediol Diacrylate	13048-33-4	10-20			EC No. 235-921-9. SkinIrrit.2: H315;
					Eyelrrit.2: H319; SkinSens.1: H317
N-Vinylcaprolactam	2235-00-9	10-20			EC No. 218-787-6. Eyelrrit.2: H319;
					SkinSens.1: H317; STOT Rep.Exp.1:
					H372
Trimethylolpropane [EO]3	28961-43-5	<10			EC No. 500-066-5. Eyelrrit.2: H319;
Triacrylate					SkinSens.1: H317
2,4,6-trimetylbenzoyl-	75980-60-8	1-5			EC No. 278-355-8. SkinSens.1:
diphenyl phosphine oxide					H317; Repr. 2: H361; Aquatic
					Chronic2: H411
Bis[2,4,6-trimethylbenzoyl]	162881-26-7	1-5			EC No. 423-340-5. SkinSens.1:
phenylphosphine oxide					H317; Aquatic Chronic2: H411
Tetrahydrofurfuryl acrylate	2399-48-6	20-30			EC No. 219-268-7. SkinIrrit.2:H315;
					Eyelrrit.2: H319
Urethane Acrylate	Proprietary	1-5			

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

The Data Shown is in accordance with the latest Directives.

This section provides composition information for the specified substance/mixture.

4. FIRST-AID MEASURES

4.1 FIRST AID MEASURES

4.1.1

FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

Inhalation: If inhaled move to fresh air. Respiratory irritation may occur, if symptoms develop seek medical

attention. If not breathing, give artificial respiration preferably mouth to mouth.

Eye contact: Do not rub eyes. In case of contact, immediately flush eyes with plenty of water for at least 15

minutes. If irritation persists get medical attention.

Skin contact: In case of contact, immediately flush skin with plenty of water while removing contaminated

clothing and shoes. Wash clothing before reuse. Get medical attention if symptoms appear.

Ingestion: Give two glasses of water and monitor closely. Call a poison control center, emergency room, or

physician before trying to induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if symptoms appear.

4.1.2 ADDITIONAL FIRST AID INFORMATION

Additional first aid information: N/A
Immediate Medical Attention Required: N/A

4.2 **SYMPTOMS AND EFFECTS**

Acute Symptoms from Exposure: Eye Contact: Causes severe eye injury which may persist for sevaral days. Inhalation:

Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility and irritate nose, throat/respiratory system. Skin Contact: Contact with skin may cause irritation, swelling or redness, allergy and/or sensitization.

Ingestion: May cause injury of mouth, throat, and stomach.

Delayed Symptoms from Exposure: Eye Contact: Causes severe eye injury which may persist for sevaral days. Inhalation: Exposure to vapors (mist) may be harmful to the unborn child and at the risk of

Revision date: 03/12/2018

impaired fertility and irritate nose, throat/respiratory system. Skin Contact: Contact with skin may cause irritation, swelling or redness, allergy and/or sensitization.

Page: 2/9

Ingestion: May cause injury of mouth, throat, and stomach.

4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

Product: Light Cyan Wide Format Ink Bag for efi Vutek 45165647LC



Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media: Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water spray.

Extinguishing Media Not to be Used: N/A

5.2 **SPECIAL HAZARD**

Unusual Fire/Explosion Hazards: Special Hazards arising from the substance or mixture: Carbon oxides.

Extinguishing Media Not to be Used: N/A

5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective clothing and wear self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

6.1.1 PRECAUTIONS FOR NON-EMERGENCY PERSONNEL

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all souces of ignition. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.1.2 ADDITIONAL FIRST AID INFORMATION

N/A

6.1.3 **PERSONAL PROTECTION**

Wear personal protective equipment as described in Section 8.

6.2 ENVIRONMENTAL PRECAUTIONS

Regulatory Information: Keep product out of sewers and watercourses.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-

brushing and place in container for disposal according to local regulations. Keep in suitable,

closed containers for disposal.

Product: Light Cyan Wide Format Ink Bag for efi Vutek 45165647LC Revision date: 03/12/2018 Page: 3/9



7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling: No special precautions when used as intended. Keep containers closed. If toner, avoid

creating dust. Keep away from ignition sources.

Advice on General Hygiene: Never eat, drink or smoke in work areas. Practice good personal hygiene after using this

material, especially before eating, drinking, smoking, using the restroom, or applying

cosmetics.

7.2 **CONDITIONS FOR SAFE STORAGE**

Avoid high temperatures, >100°F/32°C

7.3 **SPECIFIC END USES**

Printing devices

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **CONTROL PARAMETERS**

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 3).

Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

8.2 **EXPOSURE CONTROLS**

Respiratory protection:

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

Eye/Face Protection:

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

Additional Protection:

N/A

Protective Clothing and Equipment:

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splashproof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

Safety Stations:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Equipment:

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

Product: Light Cyan Wide Format Ink Revision date: 03/12/2018 Page: 4/9
Bag for efi Vutek 45165647LC



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 **DETAIL INFORMATION**

Physical state: Color: Black
Color: Light Cyan
Odor: Slight
Odor threshold: N/A

Boiling point: N/A

Melting point: N/A

Flash point: N/A

Explosion limits: N/A

Relative density: N/A

Auto-ignition temperature: N/A

9.2 OTHER INFORMATION

N/A

10. CHEMICAL STABILITY AND REACTIVITY

10.1 Reactivity:

Reactivity Hazards: None **Data on Mixture Substances:** None

10.2 **Chemical Stability:** The product is stable. Under normal conditions of storage and use, hazardous

polymerization will not occur.

10.3 **Hazardous Polymerization:** Stable under conditions of normal use.

10.4 **Conditions to Avoid:** Keep away from heat, flame, sparks and other ignition sources.

10.5 **Incompatible Materials:** Strong oxidizing materials

10.6 Hazardous Decomposition: Will not occur.

Product: Light Cyan Wide Format Ink Bag for efi Vutek 45165647LC Revision date: 03/12/2018 Page: 5/9



11. INFORMATION ON TOXICOLOGICAL EFFECT

Mixtures: N/A

No information. **Acute Toxicity:**

Skin Corrosion/Irritation: Contact with skin may cause irritation, swelling or redness, allergy and/or sensitization.

Serious Eye Damage: Causes severe eye injury which may persist for several days.

Inhalation: Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility

and irritate nose, throat/respiratory system.

Sensitization: Not available. No information. **Mutagenicity:**

No information available. Carcinogenicity:

Reproductive Toxicity: Not available.

STOT - Single Exposure: N/A **STOT - Multiple Exposure:** N/A

Ingestion:

Hazard Class Information: N/A

May cause injury or mouth, throat, and stomach.

Mixture on Market Data: N/A Symptoms: N/A **Delayed/Immediate Effects:** N/A Test Data on Mixture: N/A Not Meeting Classification: N/A

Routes of Exposure: Eye, skin, inhalation, and oral ingestion.

Interactive Effects: N/A **Absence of Specific Data:** N/A Mixture vs Substance Data: N/A

12. ECOLOGICAL INFORMATION

12.1 Eco toxicity: Aguatic toxicity: No further information available.

12.2 Degradability: No further relevant information available.

12.3 Bioaccumulation Potential: No further relevant information available.

12.4 Mobility in Soil: No further relevant information available.

12.5 PBT & vPvB Assessment: Not applicable.

12.6 Other Adverse Effects: No further relevant information available.

13. DISPOSAL CONSIDERATIONS

Disposal Information:

Dispose of product in accordance with local authority regulations.

Empty container retains product residue.

Physical/Chemical Properties that affect Treatment:

Symbol: This product is not classified as dangerous

Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

Waste Treatment Information:

If toner, do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

Personal Protection Required:

N/A

Product: Light Cyan Wide Format Ink Revision date: 03/12/2018 Page: 6/9

Bag for efi Vutek 45165647LC



14. TRANSPORT INFORMATION

14.1 **ID Number:** UN Number: UN3082

14.2 **Shipping Name:** Environmentally Hazardous Substance, Liquid, N.O.S. [Acrylic Monomers].

14.3 **Hazard Class:** ADR,IMDG, IATA- Class 9

14.4 Packing Group:

14.5 Environmental Hazards: Yes

14.6 **User Precautions:** Transport and storage of the product in accordance with general precautions and instructions

mentioned in this SDS.

14.7 Bulk Transport: N/A

15. REGULATORY INFORMATION

15.1 **Regulatory Information:** OSHA: This product is classified as an OSHA hazardous material. CERCLA: SARA Hazard

Category Section 313: Acute hazard. Indicates toxic chemical(s) subject to the reporting

requirements of the Section 313 of Title III and of 40 CFR 372.

EPA Regulatory Information: N/A

CERCLA Reportable Quantity: N/A

15.2 Superfund Information:

Hazard Categories:

Immediate: N/A

Delayed: N/A

Fire: N/A

Pressure: N/A

Reactivity: N/A

Section 302 - Extremely Hazardous: N/A

Section 311 - Hazardous: N/A

15.3 State Regulations: N/A

15.4 **Other Regulatory Information:** State of California Proposition 65: This product does not contain any chemicals known to

the state of California to cause cancer, birth, or any other reproductive effects.

Product: Light Cyan Wide Format Ink Bag for efi Vutek 45165647LC Revision date: 03/12/2018 Page: 7/9



16. OTHER INFORMATION

General Comments:

This information is based on our current knowledge. It should not therefore be construed as guaranteeing specific properties of the products as described or their suitability for a particular

application

Creation Date of this SDS: 05/17/2021

Product: Light Cyan Wide Format Ink Bag for efi Vutek 45165647LC

Revision date: 03/12/2018 Page: 8/9



Key to Abbreviations and Acronyms used in this sheet:

ACGIH = American Conference of Governmental Industrial	NIOSH = National Institute for Occupational Safety and Health		
Hygienists			
CERCLA = Comprehensive Environmental Response Compensation	OSHA = Occupational Health and Safety Administration		
and Liability Act			
CLP = Classification, Labeling, and Packaging	PEL = Permissible Exposure Limit		
DSD = Dangerous Substances Directive	SCBA = Self Contained Breathing Apparatus		
EPA = Environmental Protection Agency	STOT = Specific Target Organ Toxicity		
GHS = Globally Harmonized System	TLV = Threshold Limit Value		
N/A = Not Applicable	UK = United Kingdom		
NFPA = National Fire Protection Association	UN = United Nations		

	_4	С.
к	e	Г:

DISCLAIMER

All trademarks and models referenced are property of their respective holders and are used for identification purposes only.

These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Product: Light Cyan Wide Format Ink Bag for efi Vutek 45165647LC Revision date: 03/12/2018 Page: 9/9