

1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

1.1 PRODUCT IDENTIFIER

Product name: High Yield Black, Color Ink Cartridges for Canon PG-260XL/CL-261XL 2-Pack

Part number: CNMPG260XL/CL261XL

1.2 IDENTIFIED USES AND USES ADVISED AGAINST

For use in: Inkjet Printers

1.3 **SUPPLIER DETAILS**

Supplier: Clover Imaging Group

4200 Columbus Street Ottawa, IL 61350 United States

Phone number: 815-431-8100

Fax: 815-461-8583

Contact Hours: 08:00AM-05:00PM CST

1.4 **EMERGENCY TELEPHONE NUMBERS**

Supplier: 815-431-8100

2. HAZARDS IDENTIFICATION

2.1 INFORMATION and CLASSIFICATION

Overview: This product is a black, cyan (blue), magenta (red), and yellow liquids with a mild odor.

2.2 **LABEL ELEMENTS**

Applicable Pictograms:

NO PICTOGRAM

Danger Indications: CAUTION! May cause mild eye and skin irritation. Inhalation of vapors or mists may cause irritation,

headache, dizziness and other central nervous system effects. Swallowing may cause gastrointestinal

Page: 1/9

irritation. See Section 11 for detailed health effects information.

Risk Phrases: N/A Safety Phrases: N/A

2.3 OTHER HAZARDS

PBT or vPvB: N/A

Product: High Yield Black, Color Ink Revision date: 05/17/2015

Cartridges for Canon PG-260XL/CL-261XL 2-Pack

^{*} This document provides safety-related information about ink/toner, in various forms, for use in copiers/printers etc.



3. COMPOSITION / INFORMATION ON INGREDIENTS

| Ingredients | CAS number | Weight % | OSHA PEL | ACGIH TLV | Other |
|-------------------|-------------|-------------------------|-------------|--------------|-------|
| | | | | | |
| Glycol Mixture | 107-21-1 | Black: 2, Cyan: 2, | | | |
| | | Magenta: 2, Yellow: 2 | | | |
| Alcoholic Mixture | 64-17-5 | Black: 2 | | | |
| 2-Pyrrolidone | 616-45-5 | Yellow: 1 | | | |
| 1,4 Butanediol | 110-63-4 | Yellow: 1 | | | |
| Diethylene Glycol | 112-34-5 | Cyan: 1, Magenta: 1 | | | |
| Monobutyl Ether | | | | | |
| Water | Proprietary | Black: 20, Cyan: 21, | | | |
| | | Magenta: 21, Yellow: 20 | | | |
| Carbon Black | 1333-86-4 | Black: 1 | | | |
| Blue Dye | 12222-04-07 | Cyan: 1 | | | |
| Red Dye | 3520-42-1 | Magenta: 1 | | | |
| Yellow Dye | 1934-21-0 | Yellow: 1 | | | |

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

The Data Shown is in accordance with the latest Directives.

This section provides composition information for the specified substance/mixture.

4. FIRST-AID MEASURES

4.1 FIRST AID MEASURES

4.1.1 FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

Inhalation: N/A

Eye contact: Flush eyes with water while lifting the upper and lower lids. Get medical attention if irritation

persists.

Skin contact: Remove contaminated clothing. Wash contact area thoroughly with soap and water. Get medical

attention if irritation develops and persists. Launder contaminated clothing before reuse.

Ingestion: Call a poison control center or doctor immediately for treatment advice. If conscious, give one 8 ounce glass of water to dilute. DO NOT induce vomiting unless directed by medical personnel. Do

not give anything by mouth to or induce vomiting in a person who is unconscious or convulsing.

4.1.2 ADDITIONAL FIRST AID INFORMATION

Additional first aid information: N/A
Immediate Medical Attention Required: N/A

4.2 **SYMPTOMS AND EFFECTS**

Acute Symptoms from Exposure: N/A
Delayed Symptoms from Exposure: N/A

4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

N/A

Product: High Yield Black, Color Ink

Cartridges for Canon PG-260XL/CL-261XL 2-Pack

Revision date: 05/17/2015

Page: 2/9



5. FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media: Use media appropriate to the surrounding fire.

Extinguishing Media Not to be Used: N/A

5.2 **SPECIAL HAZARD**

Unusual Fire/Explosion Hazards: None known. HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide, carbon

dioxide, Tetrahydrofuran and oxides of nitrogen.

Extinguishing Media Not to be Used: N/A

5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective clothing and wear self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

6.1.1 PRECAUTIONS FOR NON-EMERGENCY PERSONNEL

PERSONAL PROTECTIVE EQUIPMENT: Select in accordance with OSHA 1910.134 and good Industrial Hygiene practice. PROTECTIVE CLOTHING: Use personal protective equipment to minimize exposure to skin and eye.

6.1.2 ADDITIONAL FIRST AID INFORMATION

Avoid contact with eyes, skin and clothing. Avoid breathing vapors. Use with adequate ventilation. Remove and launder contaminated clothing before re-use. Wash thoroughly after handling and before eating, drinking, smoking or using toilet facilities.

6.1.3 PERSONAL PROTECTION

Wear personal protective equipment as described in Section 8.

6.2 **ENVIRONMENTAL PRECAUTIONS**

Regulatory Information: Keep product out of sewers and watercourses.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: Dike spill and absorb with inert material. Collect into closable containers for proper disposal.

Revision date: 05/17/2015

Flush area with plenty of water. Report spill as required by local and federal regulations.

Product: High Yield Black, Color Ink Cartridges for Canon

PG-260XL/CL-261XL 2-Pack

Page: 3/9



7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling: No special precautions when used as intended. Keep containers closed. If toner, avoid

creating dust. Keep away from ignition sources.

Advice on General Hygiene: Never eat, drink or smoke in work areas. Practice good personal hygiene after using this

material, especially before eating, drinking, smoking, using the restroom, or applying

cosmetics.

7.2 **CONDITIONS FOR SAFE STORAGE**

Avoid high temperatures, >100°F/32°C

7.3 **SPECIFIC END USES**

Printing devices

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **CONTROL PARAMETERS**

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 3).

Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

8.2 **EXPOSURE CONTROLS**

Respiratory protection:

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

Eye/Face Protection:

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

Additional Protection:

N/A

Protective Clothing and Equipment:

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splash-proof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

Safety Stations:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Equipment:

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

Product: High Yield Black, Color Ink Revision date: 05/17/2015 Page: 4/9

Cartridges for Canon PG-260XL/CL-261XL 2-Pack



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 **DETAIL INFORMATION**

Physical state: APPEARANCE: Black, Cyan, Magenta, and Yellow liquids.

Color: Black/Color Odor: Mild odor.

Odor threshold: N/A

Boiling point: 212°F
Melting point: N/A
Flash point: > 815C

Explosion limits: FLAMMABLE LIMITS: (vol % in air) LEL: 0.8% (Diethylene Glycol monobutyl ether); UEL: 24.6%

(Diethylene Glycol monobutyl ether)

Relative density: N/A
Auto-ignition temperature: N/A

9.2 OTHER INFORMATION

SPECIFIC GRAVITY (H20=1): 1.00 - 1.10. VAPOR PRESSURE: Not available. VAPOR DENSITY (Air=1): Heavier than air. SOLUBILITY IN WATER: Complete. FREEZING POINT: Not available. COEFFICIENT of WATER/OIL: Not available. EVAPORATION RATE:> Butyl Acetate. pH: 5.5 -8.2.

Revision date: 05/17/2015

10. CHEMICAL STABILITY AND REACTIVITY

10.1 Reactivity:

Reactivity Hazards: None

Data on Mixture Substances: None

10.2 **Chemical Stability:** The product is stable. Under normal conditions of storage and use, hazardous

polymerization will not occur.

10.3 **Hazardous Polymerization:** Stable under conditions of normal use.

10.4 **Conditions to Avoid:** Keep away from heat, flame, sparks and other ignition sources.

10.5 **Incompatible Materials:** Strong oxidizing materials

10.6 Hazardous Decomposition: Will not occur.

Product: High Yield Black, Color Ink Cartridges for Canon

PG-260XL/CL-261XL 2-Pack

Page: 5/9



11. INFORMATION ON TOXICOLOGICAL EFFECT

Mixtures: N/A

Acute Toxicity: 2-Pyrrolidone: Oral rat LD50: 6,500 mg/kg. Glycerin: Oral rat LD50: 12,600 mg/kg; Skin rabbit

LD50: >10,000 mg/kg; Inhalation rat LC50: >570 mg/m3/1 hour. 1,4 Butanediol: Oral rat LD50 1,830 mg/kg. Surfactant: Oral rat LD50 6,300 mg/kg; Inhalation rat LC50: >2 mg/L/1 hour; Skin rabbit LD50: >2,000 mg/kg. Diethylene Glycol: Oral rat LD50: 12,565 mg/kg; Skin rabbit LD50:

11,890 mg/kg. Diethylene Glycol Monobutyl Ether: Oral rat LD50: 5,660 mg/kg.

Skin Corrosion/Irritation: N/A Serious Eye Damage: N/A Inhalation: N/A Sensitization: N/A **Mutagenicity:** N/A Carcinogenicity: N/A **Reproductive Toxicity:** N/A **STOT - Single Exposure:** N/A **STOT - Multiple Exposure:** N/A Ingestion: N/A **Hazard Class Information:** N/A **Mixture on Market Data:** N/A Symptoms: N/A Delayed/Immediate Effects: N/A Test Data on Mixture: N/A **Not Meeting Classification:** N/A Routes of Exposure: N/A **Interactive Effects:** N/A **Absence of Specific Data:** N/A Mixture vs Substance Data: N/A

12. ECOLOGICAL INFORMATION

12.1 **Eco toxicity:** 2-Pyrrolidone: EC50/48 hour daphnia magna >500 mg/l LC50/48 hour golden orfe >500 mg/l

Glycerin: No data available 1,4 Butanediol: No data available Surfactant: 50/72 hour selenastrum capricornutum 93 mg/l Diethylene Glycol: No data available Diethylene Glycol Monobutyl Ether: LC50/24 hr Goldfish 2700 mg/l LC50/96 hour Menidia beryllina 2000 ppm

12.2 **Degradability:** N/A

12.3 Bioaccumulation Potential: N/A

12.4 Mobility in Soil: N/A

12.5 **PBT & vPvB Assessment:** N/A

12.6 Other Adverse Effects: N/A

Product: High Yield Black, Color Ink Revision date: 05/17/2015 Page: 6/9

Cartridges for Canon PG-260XL/CL-261XL 2-Pack

CLOVER IMAGING GROUP

SAFETY DATA SHEET

13. DISPOSAL CONSIDERATIONS

Disposal Information:

Dispose of product in accordance with local authority regulations.

Empty container retains product residue.

Physical/Chemical Properties that affect Treatment:

Symbol: This product is not classified as dangerous

Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

Waste Treatment Information:

If toner, do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

Personal Protection Required:

N/A

14. TRANSPORT INFORMATION

14.1 **ID Number:** None

14.2 **Shipping Name:** Not Regulated

14.3 **Hazard Class:** HMIS Rating: Health = 2 Fire = 0 Reactivity = 0

14.4 Packing Group: N/A

14.5 Environmental Hazards: N/A

14.6 User Precautions: N/A

14.7 Bulk Transport: N/A

15. REGULATORY INFORMATION

15.1 **Regulatory Information:** OSHA HAZARD CLASSIFICATION: Product not tested. It is not considered to be toxic per

29CFR1910.1200 but is considered to be a skin/eye irritant.

EPA Regulatory Information: N/A

CERCLA Reportable Quantity: N/A

15.2 Superfund Information:

Hazard Categories:

Immediate: N/A

Delayed: N/A

Fire: NFPA Rating: Health = 1 Fire = 0 Reactivity = 0

Pressure: N/A
Reactivity: N/A

Section 302 - Extremely Hazardous: N/A Section 311 - Hazardous: Product not listed.

15.3 State Regulations: CALIFORNIA PROPOSITION 65 INFORMATION: None

15.4 **Other Regulatory Information:** SARA TITLE 111 SECTION 313 INFORMATION: This product contains the following

chemicals that are regulated under SARA 313: Component - Glycol Ethers (Diethylene

Glycol Monobutyl Ether), CAS# - N/A, Weight % - 1 - 5%.

Revision date: 05/17/2015

Product: High Yield Black, Color Ink

Cartridges for Canon PG-260XL/CL-261XL 2-Pack

Page: 7/9



16. OTHER INFORMATION

General Comments:

Revision date: 05/17/2015

This information is based on our current knowledge. It should not therefore be construed as guaranteeing specific properties of the products as described or their suitability for a particular

application

Creation Date of this SDS: 05/02/2022

Product: High Yield Black, Color Ink Cartridges for Canon PG-260XL/CL-261XL 2-Pack

Page: 8/9



Key to Abbreviations and Acronyms used in this sheet:

| ACGIH = American Conference of Governmental Industrial | NIOSH = National Institute for Occupational Safety and Health | | | |
|--|---|--|--|--|
| Hygienists | | | | |
| CERCLA = Comprehensive Environmental Response Compensation | OSHA = Occupational Health and Safety Administration | | | |
| and Liability Act | | | | |
| CLP = Classification, Labeling, and Packaging | PEL = Permissible Exposure Limit | | | |
| DSD = Dangerous Substances Directive | SCBA = Self Contained Breathing Apparatus | | | |
| EPA = Environmental Protection Agency | STOT = Specific Target Organ Toxicity | | | |
| GHS = Globally Harmonized System | TLV = Threshold Limit Value | | | |
| N/A = Not Applicable | UK = United Kingdom | | | |
| NFPA = National Fire Protection Association | UN = United Nations | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| | _4 | С. |
|---|----|----|
| к | e | Г: |

DISCLAIMER

All trademarks and models referenced are property of their respective holders and are used for identification purposes only. These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Revision date: 05/17/2015

Product: High Yield Black, Color Ink Cartridges for Canon

PG-260XL/CL-261XL 2-Pack

Page: 9/9