

1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

1.1 PRODUCT IDENTIFIER

Product name: MICR Toner Cartridge for Lexmark E230/E232/E240/E330/E340

Part number: LEXE330MPS

1.2 IDENTIFIED USES AND USES ADVISED AGAINST

For use in: Laser Printers

1.3 SUPPLIER DETAILS

Supplier: Clover Imaging Group

4200 Columbus Street Ottawa, IL 61350 United States

Phone number: 815-431-8100

Fax: 815-461-8583

Contact Hours: 08:00AM-05:00PM CST

1.4 **EMERGENCY TELEPHONE NUMBERS**

Supplier: 815-431-8100

2. HAZARDS IDENTIFICATION

2.1 INFORMATION and CLASSIFICATION

Overview: Primary Entry Routes: Inhalation. Target Organs: N/A. Acute Effects: N/A. Inhalation: Slight irritation of

respiratory tract. Eye: Dust may cause irritation by mechanical abrasion. Skin: Slight irritation. Ingestion: None known. Carcinogenicity: N/A. Medical Conditions Aggravated By Long-Term Exposure: Accumulation of dust in the respiratory system may cause congestion. Chronic Effects: If these materials are used in a manner that could generate airborne particles (dust), it is recommended that the dust be treated as a NUISANCE PARTICULATE according to the American Conference of Government

Industrial Hygienists (ACGIH)(TLV=10 mg/m3).

2.2 **LABEL ELEMENTS**

Applicable Pictograms:

NO PICTOGRAM

Danger Indications: N/A
Risk Phrases: N/A
Safety Phrases: N/A

2.3 OTHER HAZARDS

PBT or vPvB: N/A

Product: MICR Toner Cartridge for Revision date: 06/18/2015 Page: 1/9 Lexmark E230/E232/E240/E330/E340

^{*} This document provides safety-related information about ink/toner, in various forms, for use in copiers/printers etc.



3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS number	Weight %	OSHA PEL	ACGIH TLV	Other
Iron Oxide (Black Pigment)	1317-61-9	25-45			
					All other ingredients not considered
					hazardous under the Federal
					Hazard Communication Standard.
					Toner is regulated under OSHA as
					particulate not otherwise
					regulated. An exposure limit of 2.5
					mg/m3 (total dust) is
					recommended.

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

The Data Shown is in accordance with the latest Directives.

This section provides composition information for the specified substance/mixture.

4. FIRST-AID MEASURES

4.1 FIRST AID MEASURES

4.1.1 FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

Inhalation: Remove to fresh air. Treat any irritation symptomatically. Call a physician if condition persists.

Eye contact: In case of contact, immediately flush with plenty of low pressure water for at least 15 minutes.

Remove any contact lenses to ensure thorough flushing.

Skin contact: Wash well with soap and running water.

Ingestion: N/A

4.1.2 ADDITIONAL FIRST AID INFORMATION

Additional first aid information: After first aid, get appropriate in-plant paramedic or community medical support

if serious signs and symptoms persist.

Immediate Medical Attention Required: N/A

4.2 **SYMPTOMS AND EFFECTS**

Acute Symptoms from Exposure: N/A
Delayed Symptoms from Exposure: N/A

4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

Note to Physicians: N/A

Product: MICR Toner Cartridge for Revision date: 06/18/2015 Page: 2/9 Lexmark E230/E232/E240/E330/E340



5. FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide, or halon type extinguishers. Do not

release runoff from fire control methods to sewers or waterways.

Extinguishing Media Not to be Used: N/A

5.2 **SPECIAL HAZARD**

Unusual Fire/Explosion Hazards: May form flammable dust-air mixture. Hazardous Combustion Products: Carbon

monoxide, carbon dioxide, nitrogen oxide and smoke. Under certain conditions, some

aliphatic aldehydes and carboxylic acids may form.

Extinguishing Media Not to be Used: N/A

5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective clothing and wear self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

6.1.1 PRECAUTIONS FOR NON-EMERGENCY PERSONNEL

N/A

6.1.2 ADDITIONAL FIRST AID INFORMATION

N/A

6.1.3 PERSONAL PROTECTION

Wear personal protective equipment as described in Section 8.

6.2 **ENVIRONMENTAL PRECAUTIONS**

Regulatory Information: Keep product out of sewers and watercourses.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: Small Spills: Scoop into a container for disposal. Suction up remaining material with a high

efficiency vacuum cleaner. Large Spills: Scoop into a container for disposal. Suction up remaining material with a high efficiency vacuum cleaner. Containment: For large spills, avoid suspending particles. Collect for later disposal. Cleanup: No special requirements.

Page: 3/9

Regulatory Requirement: N/A.

Product: MICR Toner Cartridge for Revision date: 06/18/2015
Lexmark E230/E232/E240/E330/E340



7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling: No special precautions when used as intended. Keep containers closed. If toner, avoid

creating dust. Keep away from ignition sources.

Advice on General Hygiene: Never eat, drink or smoke in work areas. Practice good personal hygiene after using this

material, especially before eating, drinking, smoking, using the restroom, or applying

cosmetics.

7.2 **CONDITIONS FOR SAFE STORAGE**

Avoid high temperatures, >100°F/32°C

7.3 **SPECIFIC END USES**

Printing devices

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **CONTROL PARAMETERS**

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 3).

Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

8.2 **EXPOSURE CONTROLS**

Respiratory protection:

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

Eye/Face Protection:

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

Additional Protection:

N/A

Protective Clothing and Equipment:

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splash-proof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

Safety Stations:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Equipment:

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

Product: MICR Toner Cartridge for Revision date: 06/18/2015 Page: 4/9 Lexmark E230/E232/E240/E330/E340



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 **DETAIL INFORMATION**

APPEARANCE: Black, free flowing powder. Physical state:

Color: Black Odor: Odorless. Odor threshold: N/A

Boiling point: N/A Melting point: N/A Flash point: N/A **Explosion limits:** N/A Relative density: N/A

Auto-ignition temperature: Not Determined.

9.2 OTHER INFORMATION

VAPOR DENSITY (Air=1): Heavier than air. SPECIFIC GRAVITY: (H2O)=1, at 4°C): 1.5-1.7. WATER SOLUBILITY: Negligible.

10. CHEMICAL STABILITY AND REACTIVITY

10.1 Reactivity:

Reactivity Hazards: None **Data on Mixture Substances:** None

10.2 Chemical Stability: The product is stable. Under normal conditions of storage and use, hazardous

Revision date: 06/18/2015

polymerization will not occur.

Stable under conditions of normal use. 10.3 Hazardous Polymerization:

10.4 Conditions to Avoid: Keep away from heat, flame, sparks and other ignition sources.

10.5 Incompatible Materials: Strong oxidizing materials

10.6 Hazardous Decomposition: Will not occur.

Product: MICR Toner Cartridge for

Lexmark E230/E232/E240/E330/E340

Page: 5/9



11. INFORMATION ON TOXICOLOGICAL EFFECT

Mixtures: N/A **Acute Toxicity:** N/A Skin Corrosion/Irritation: N/A **Serious Eye Damage:** N/A Inhalation: N/A Sensitization: N/A **Mutagenicity:** N/A Carcinogenicity: N/A **Reproductive Toxicity:** N/A STOT - Single Exposure: N/A

STOT - Multiple Exposure: In a chronic inhalation study in rats, using a special test toner, there were no lung changes at all in

the lowest exposure level (1 mg/m3.), the most relevant level to potential human exposures. A very slight degree of fibrosis was noted in 25% of the animals at the middle exposure level (4 mg/m3) while a slight degree of fibrosis was observed at the highest level (11 mg/m3) in all animals. These findings are attributed to "lung overload", a generic response to excessive amounts of any dust in the lung for a prolonged interval. The special test toner was ten times more respirable than commercially available toner to comply with EPA testing protocol. On the

basis of this information, an exposure limit of 2.5 mg/m3 (total dust) is recommended.

Ingestion: N/A
Hazard Class Information: N/A
Mixture on Market Data: N/A
Symptoms: N/A
Delayed/Immediate Effects: N/A

Test Data on Mixture: See NIOSH, RTECS for additional toxicity data.

Not Meeting Classification: N/A
Routes of Exposure: N/A
Interactive Effects: N/A
Absence of Specific Data: N/A
Mixture vs Substance Data: N/A

12. ECOLOGICAL INFORMATION

12.1 Eco toxicity: N/A

12.2 **Degradability:** N/A

12.3 Bioaccumulation Potential: N/A

12.4 Mobility in Soil: N/A

12.5 **PBT & vPvB Assessment:** N/A

12.6 Other Adverse Effects: N/A

Product: MICR Toner Cartridge for Revision date: 06/18/2015 Page: 6/9 Lexmark E230/E232/E240/E330/E340



13. DISPOSAL CONSIDERATIONS

Disposal Information:

Dispose of product in accordance with local authority regulations.

Empty container retains product residue.

Physical/Chemical Properties that affect Treatment:

Symbol: This product is not classified as dangerous

Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

Waste Treatment Information:

If toner, do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

Personal Protection Required:

N/A

14. TRANSPORT INFORMATION

14.1 **ID Number:** DOT Transportation Data (49 CFR 172.101): Not specifically listed.

14.2 Shipping Name: N/A

14.3 **Hazard Class:** HMIS Rating: Health = 1 Fire = 1 Reactivity = 1

14.4 Packing Group: N/A

14.5 Environmental Hazards: N/A

14.6 User Precautions: N/A

14.7 Bulk Transport: N/A

15. REGULATORY INFORMATION

15.1 Regulatory Information: N/A

EPA Regulatory Information: RCRA Hazardous Waste Number: Not listed (40 CFR 261.33). RCRA Hazardous Waste

Classification (40 CFR 261): Not classified. SARA Toxic Chemical (40 CFR 372.65): Not listed. SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed, Threshold

Planning Quantity (TPQ).

CERCLA Reportable Quantity: CERCLA Hazardous Substance (40 CFR 302.4) listed/unlisted specific per RCRA, sec. 3001;

CWA sec.311 (b)(4); CWA, Sec. 307(a), CAA, Sec.112. CERCLA Reportable Quantity (RQ),

Not listed.

15.2 Superfund Information:

Hazard Categories:

Immediate: N/A

Delayed: N/A

Fire: Flammability Classification: 1 Slight (HMIS,

NFPA)

Pressure: N/A
Reactivity: N/A

Section 302 - Extremely Hazardous: N/A

Section 311 - Hazardous: N/A

15.3 **State Regulations:** Check your state's regulations that may specifically list copy machine toner.

Product: MICR Toner Cartridge for Lexmark E230/E232/E240/E330/E340

Revision date: 06/18/2015 Page: 7/9



15.4 **Other Regulatory Information:** OSHA Regulations, Air Contaminant (29 CFR 1910.1000 < Table Z-1-A): Particulates not

otherwise regulated.

16. OTHER INFORMATION

General Comments: This information is based on our current knowledge. It should not therefore be construed as

guaranteeing specific properties of the products as described or their suitability for a particular

application

Creation Date of this SDS: 07/28/2020

Product: MICR Toner Cartridge for Revision date: 06/18/2015 Page: 8/9 Lexmark E230/E232/E240/E330/E340



Key to Abbreviations and Acronyms used in this sheet:

ACGIH = American Conference of Governmental Industrial	NIOSH = National Institute for Occupational Safety and Health			
Hygienists				
CERCLA = Comprehensive Environmental Response Compensation	OSHA = Occupational Health and Safety Administration			
and Liability Act				
CLP = Classification, Labeling, and Packaging	PEL = Permissible Exposure Limit			
DSD = Dangerous Substances Directive	SCBA = Self Contained Breathing Apparatus			
EPA = Environmental Protection Agency	STOT = Specific Target Organ Toxicity			
GHS = Globally Harmonized System	TLV = Threshold Limit Value			
N/A = Not Applicable	UK = United Kingdom			
NFPA = National Fire Protection Association	UN = United Nations			

Ref:

DISCLAIMER

These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no

All trademarks and models referenced are property of their respective holders and are used for identification purposes only.

warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Product: MICR Toner Cartridge for Lexmark E230/E232/E240/E330/E340 Revision date: 06/18/2015

Page: 9/9