

1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

1.1 PRODUCT IDENTIFIER

Product name: High Yield Toner Cartridge for Canon 1491A002AA (E40)

Part number: CNME40

1.2 IDENTIFIED USES AND USES ADVISED AGAINST

For use in: Laser Printers

1.3 SUPPLIER DETAILS

Supplier: Clover Imaging Group

4200 Columbus Street Ottawa, IL 61350 United States

Phone number: 815-431-8100

Fax: 815-461-8583

Contact Hours: 08:00AM-05:00PM CST

1.4 EMERGENCY TELEPHONE NUMBERS

Supplier: 815-431-8100

2. HAZARDS IDENTIFICATION

2.1 INFORMATION and CLASSIFICATION

Overview: Potential Health Effects: Ingestion Effects - Ingestion is not an applicable route of entry for intended

use; Inhalation Effects - Minimal respiratory tract irritation may occur with exposure to large amount of toner dust; Eye Effects - Solid or dusts may cause irritation or scratch the surface of eye; Skin Effects -

Unlikely to cause skin irritation. Environmental Hazards: None known.

2.2 **LABEL ELEMENTS**

Applicable Pictograms:

NO PICTOGRAM

Danger Indications: N/A
Risk Phrases: N/A
Safety Phrases: N/A

2.3 OTHER HAZARDS

PBT or vPvB: N/A

Product: High Yield Toner Cartridge for Revision date: 05/19/2015 Page: 1/9

^{*} This document provides safety-related information about ink/toner, in various forms, for use in copiers/printers etc.



3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS number	Weight %	OSHA PEL	ACGIH TLV	Other
Styrene-Acrylate Copolymer	TRADE SECRET	40-60	Not listed	Not listed	
Iron Oxide	TRADE SECRET	35-55		5 mg/m3 as	
			as Fe2O3	Fe	
Polypropylene	TRADE SECRET	1-5	Not listed	Not listed	
C.I.Solvent Black 7	TRADE SECRET	1-5	Not listed	Not listed	

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

The Data Shown is in accordance with the latest Directives.

This section provides composition information for the specified substance/mixture.

4. FIRST-AID MEASURES

4.1 FIRST AID MEASURES

4.1.1 FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

Inhalation: Move person to fresh air immediately. If symptoms occur, consult a physician.

Eye contact: Immediately flush with large amount of clean water for at least 15 minutes. If irritation persists,

consult a physician.

Skin contact: Wash affected areas thoroughly with soap and water. If irritation persists, consult a physician.

Ingestion: Dilute stomach contents with several glasses of water. Get medical attention if symptoms persist.

4.1.2 **ADDITIONAL FIRST AID INFORMATION**

Additional first aid information: N/A
Immediate Medical Attention Required: N/A

4.2 **SYMPTOMS AND EFFECTS**

Acute Symptoms from Exposure: N/A
Delayed Symptoms from Exposure: N/A

4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

N/A

Product: High Yield Toner Cartridge for Revision date: 05/19/2015 Page: 2/9



5. FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media: CO2, water, dry chemical

Extinguishing Media Not to be Used: N/A

5.2 **SPECIAL HAZARD**

Unusual Fire/Explosion Hazards: Toner material, like most organic material in powder form, is capable of creating a

dust explosion.

Extinguishing Media Not to be Used: N/A

5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective clothing and wear self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

6.1.1 PRECAUTIONS FOR NON-EMERGENCY PERSONNEL

N/A

6.1.2 ADDITIONAL FIRST AID INFORMATION

N/A

6.1.3 PERSONAL PROTECTION

Wear personal protective equipment as described in Section 8.

6.2 **ENVIRONMENTAL PRECAUTIONS**

Regulatory Information: Keep product out of sewers and watercourses.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: Avoid breathing dust. Minimize the release of particles. Vacuum or sweep the material into a

bag or other sealed container. Dispose of waste toner in accordance with local

requirements.

Product: High Yield Toner Cartridge for Canon 1491A002AA (E40)

Revision date: 05/19/2015 Page: 3/9



7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling: No special precautions when used as intended. Keep containers closed. If toner, avoid

creating dust. Keep away from ignition sources.

Advice on General Hygiene: Never eat, drink or smoke in work areas. Practice good personal hygiene after using this

material, especially before eating, drinking, smoking, using the restroom, or applying

cosmetics.

7.2 **CONDITIONS FOR SAFE STORAGE**

Avoid high temperatures, >100°F/32°C

7.3 **SPECIFIC END USES**

Printing devices

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **CONTROL PARAMETERS**

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 3).

Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

8.2 **EXPOSURE CONTROLS**

Respiratory protection:

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

Eye/Face Protection:

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

Additional Protection:

N/A

Protective Clothing and Equipment:

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splashproof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

Safety Stations:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Equipment:

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

Product: High Yield Toner Cartridge for Revision date: 05/19/2015 Page: 4/9



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 **DETAIL INFORMATION**

Physical state: APPEARANCE: Fine black powder.

Color: Black

Odor: Slight plastic odor.

Odor threshold: N/A

Boiling point: N/A

Melting point: N/A

Flash point: N/A

Explosion limits: N/A

Relative density: N/A

Auto-ignition temperature: N/A

9.2 OTHER INFORMATION

DENSITY: 1.4-1.8g/cm3. SOLUBILITY IN WATER: Negligible. SOLUBILITY IN OTHER SOLEVENT: Partially soluble in Toluene and THF. FLAMMABILITY: No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "extremely flammable", "highly flammable" and "flammable". EXPLOSIBILITY: No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous category of "explosive".

10. CHEMICAL STABILITY AND REACTIVITY

10.1 Reactivity:

Reactivity Hazards: None

Data on Mixture Substances: None

10.2 **Chemical Stability:** The product is stable. Under normal conditions of storage and use, hazardous

polymerization will not occur.

10.3 **Hazardous Polymerization:** Stable under conditions of normal use.

10.4 **Conditions to Avoid:** Keep away from heat, flame, sparks and other ignition sources.

10.5 **Incompatible Materials:** Strong oxidizing materials

10.6 Hazardous Decomposition: Will not occur.

Product: High Yield Toner Cartridge for Canon 1491A002AA (E40)

Revision date: 05/19/2015 Page: 5/9



11. INFORMATION ON TOXICOLOGICAL EFFECT

Mixtures: N/A

Acute Toxicity: Oral: Acute oral LDL0 of the similar toner product was estimated to be greater than 2000 mg/kg in

the rat. Dermal: No test data available. Based on the EC labeling criteria, any components in this product are not classified as the dangerous categories of "very toxic", "toxic" and "harmful" when

absorbed via the skin.

Skin Corrosion/Irritation: Based on the EC evaluation criteria, similar toner was classified as a nonirritant to the skin of the

rabbit.

Serious Eye Damage: Based on the EC evaluation criteria, similar toner was classified as a nonirritant to the ocular tissue

of the rabbit.

Inhalation: No test data available. Based on the EC labeling criteria, any components in this product are not

classified as the dangerous categories of "very toxic", "toxic" and "harmful" when inhaled. No test data available. Based on the EC labeling criteria, toner components do not have to be

classified as the dangerous category of "sensitizing" if they penetrate the skin.

Mutagenicity: According to the Bacterial Reverse Mutation Assay, the similar toner product did not cause a

positive response.

Carcinogenicity: No test data available. Based on the EC labeling criteria, toner and the components of the toner

are not classified as the dangerous category of "carcinogenic".

Reproductive Toxicity: No test data available. Based on the EC labeling criteria, any components in this product are not

classified as the dangerous category of "toxic for reproduction".

STOT - Single Exposure: N

Sensitization:

STOT - Multiple Exposure: Chronic Toxicity: Oral - No test data available. Based on the EC labeling criteria, any components

in this product do not required a risk phrase R48 (danger for serious damage to health by prolonged exposure); Dermal - No test data available. Based on the EC labeling criteria, any components in this product do not required a risk phrase R48 (danger for serious damage to health by prolonged exposure); Inhalation - In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16 mg/m3) exposure group. And a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4 mg/ m3) exposure group. But no pulmonary change was reported in the lowest (1 mg/m3) exposure group, the most relevant level to potential human exposures. Based on the EC labeling criteria, any components in this product do not required a risk

Page: 6/9

phrase R48 (danger for serious damage to health by prolonged exposure).

Ingestion: N/A

Hazard Class Information: N/A
Mixture on Market Data: N/A
Symptoms: N/A

Symptoms: N/A
Delayed/Immediate Effects: N/A
Test Data on Mixture: N/A
Not Meeting Classification: N/A
Routes of Exposure: N/A
Interactive Effects: N/A
Absence of Specific Data: N/A
Mixture vs Substance Data: N/A

Product: High Yield Toner Cartridge for Revision date: 05/19/2015



12. ECOLOGICAL INFORMATION

No data available. Based on the EC labeling criteria, any components in this product are not 12.1 Eco toxicity:

classified as the dangerous category of "dangerous for the environment".

12.2 Degradability: N/A

12.3 Bioaccumulation Potential: N/A

12.4 Mobility in Soil: N/A

12.5 PBT & vPvB Assessment: N/A

12.6 Other Adverse Effects: No data available for ecological and wastewater treatment (sewage) systems. Avoid spills and

dispose of in accordance with applicable laws and regulations.

13. DISPOSAL CONSIDERATIONS

Disposal Information:

Dispose of product in accordance with local authority regulations.

Empty container retains product residue.

Physical/Chemical Properties that affect Treatment:

Symbol: This product is not classified as dangerous

Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

Waste Treatment Information:

If toner, do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

Personal Protection Required:

N/A

14. TRANSPORT INFORMATION

14.1 ID Number: None

14.2 Shipping Name: N/A

14.3 Hazard Class: None

14.4 Packing Group: N/A

14.5 Environmental Hazards: N/A

14.6 User Precautions: N/A

14.7 Bulk Transport: N/A

Product: High Yield Toner Cartridge for

Canon 1491A002AA (E40)

Revision date: 05/19/2015 Page: 7/9



15. REGULATORY INFORMATION

15.1 Regulatory Information: The DIRECTIVE 1999/45/EC: No label information required. The DIRECTIVE 2002/95/EC: This

product does not contain lead, mercury, cadmium, hexavalent chromium, polybrominated

biphenyls (PBB) or polybrominated diphenyl ethers (PBDE) that are intentionally

introduced.

EPA Regulatory Information: N/A

CERCLA Reportable Quantity: N/A

15.2 Superfund Information:

Hazard Categories:

Immediate: N/A

Delayed: N/A

Fire: N/A

Pressure: N/A

Reactivity: N/A

Section 302 - Extremely Hazardous: N/A

Section 311 - Hazardous: N/A

15.3 State Regulations: California Proposition 65: This product does not contain the chemicals known to cause

cancer or reproductive toxicity that is intentionally introduced.

15.4 Other Regulatory Information: Please refer to any other national measures that may be relevant.

16. OTHER INFORMATION

General Comments: This information is based on our current knowledge. It should not therefore be construed as

guaranteeing specific properties of the products as described or their suitability for a particular

application

Creation Date of this SDS: 07/22/2020

Product: High Yield Toner Cartridge for

Canon 1491A002AA (E40)

Revision date: 05/19/2015 Page: 8/9



Key to Abbreviations and Acronyms used in this sheet:

ACGIH = American Conference of Governmental Industrial	NIOSH = National Institute for Occupational Safety and Health
Hygienists	
CERCLA = Comprehensive Environmental Response Compensation	OSHA = Occupational Health and Safety Administration
and Liability Act	
CLP = Classification, Labeling, and Packaging	PEL = Permissible Exposure Limit
DSD = Dangerous Substances Directive	SCBA = Self Contained Breathing Apparatus
EPA = Environmental Protection Agency	STOT = Specific Target Organ Toxicity
GHS = Globally Harmonized System	TLV = Threshold Limit Value
N/A = Not Applicable	UK = United Kingdom
NFPA = National Fire Protection Association	UN = United Nations

	_4	С.
к	e	Г:

DISCLAIMER

All trademarks and models referenced are property of their respective holders and are used for identification purposes only. These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Product: High Yield Toner Cartridge for Canon 1491A002AA (E40)

Revision date: 05/19/2015 Page: 9/9